

**Exam Code: BR0-001 Total Questions**

Number: BRO-001  
Passing Score: 800  
Time Limit: 120 min  
File Version: 31.4



<http://www.gratisexam.com/>



**Exam Code: BR0-001 Total Questions**

**Exam Name: CompTIA Bridge Exam - Security+**

## Exam A

### QUESTION 1

Which method is LEAST intrusive to check the environment for known software flaws?

- A. Port scanner
- B. Vulnerability scanner
- C. Penetration test
- D. Protocol analyzer

**Correct Answer:** B

**Section:** (none)

**Explanation**

### QUESTION 2

On a remote machine, which action will you usually take to determine the operating system?

- A. MAC flooding
- B. System fingerprinting
- C. DNS spoofing
- D. Privilege escalation

**Correct Answer:** B

**Section:** (none)

**Explanation**

### QUESTION 3

Which description is true about the process of securely removing information from media (e.g. hard drive) for future use?

- A. Deleting
- B. Reformatting
- C. Sanitization
- D. Destruction

**Correct Answer:** C

**Section:** (none)

**Explanation**

### QUESTION 4

You work as the network administrator at certways .com. The certways .com network uses the RBAC (Role Based Access Control) model. You must plan the security strategy for users to access resources on the certways .com network. The types of resources you must control access to are mailboxes, and files and printers. Certways.com is divided into distinct departments and functions named Finance, Sales, Research and Development, and Production respectively. Each user has its own workstation, and accesses resources based on the department wherein he/she works. You must determine which roles to create to support the RBAC (Role Based Access Control) model. Which of the following roles should you create?

- A. Create mailbox, and file and printer roles.
- B. Create Finance, Sales, Research and Development, and Production roles.
- C. Create user and workstation roles.
- D. Create allow access and deny access roles.

**Correct Answer:** B  
**Section:** (none)  
**Explanation**

#### QUESTION 5

The Public Key Infrastructure (PKI) is a set of hardware, software, people, policies, and procedures needed to create, manage, store, distribute, and revoke digital certificates. An executive uses PKI to encrypt sensitive emails sent to an assistant. In addition to encrypting the body of the email, the executive wants to encrypt the signature so that the assistant can verify that the email actually came from the executive. Which asymmetric key should be used by the executive to encrypt the signature?



<http://www.gratisexam.com/>

- A. Shared
- B. Private
- C. Hash
- D. Public

**Correct Answer:** B  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 6

Choose the access control model that allows access control determinations to be performed based on the security labels associated with each user and each data item.

- A. MACs (Mandatory Access Control) method
- B. RBACs (Role Based Access Control) method
- C. LBACs (List Based Access Control) method
- D. DACs (Discretionary Access Control) method

**Correct Answer:** A  
**Section:** (none)  
**Explanation**

#### QUESTION 7

Which of the following can be used to implement a procedure to control inbound and outbound traffic on a network segment?

- A. Proxy

B. NIDS

C. ACL

Page 4 of 25

Exam Name: CompTIA Bridge Exam - Security+

Exam Type: CompTIA

Exam Code: BR0-001 Total Questions 121

D. HIDS

**Correct Answer: C**

**Section: (none)**

**Explanation**

#### **QUESTION 8**

Which encryption method is often used along with L2TP?

A. 3DES

B. S/MIME

C. SSH

D. IPSec

**Correct Answer: D**

**Section: (none)**

**Explanation**

#### **QUESTION 9**

Who is responsible for establishing access permissions to network resources in the MAC access control model?

A. The system administrator.

B. The owner of the resource.

C. The system administrator and the owner of the resource.

D. The user requiring access to the resource.

**Correct Answer: A**

**Section: (none)**

**Explanation**

#### **QUESTION 10**

A company has a complex multi-vendor network consisting of UNIX, Windows file servers and database applications. Users report having too many passwords and that access is too difficult. Which of the following can be implemented to mitigate this situation?

A. Biometric authentication

B. Multifactor authentication

C. User groups

Page 5 of 25

Exam Name: CompTIA Bridge Exam - Security+

Exam Type: CompTIA

Exam Code: BR0-001 Total Questions 121

D. Single sign-on

**Correct Answer: D**

**Section: (none)**  
**Explanation**

## **Exam B**

### **QUESTION 1**

Which tool can help the technician to find all open ports on the network?

- A. Router ACL
- B. Performance monitor
- C. Protocol analyzer
- D. Network scanner

**Correct Answer:** D

**Section:** (none)

**Explanation**

### **QUESTION 2**

Which item will allow for fast, highly secure encryption of a USB flash drive?

- A. 3DES
- B. SHA-1
- C. MD5
- D. AES256

**Correct Answer:** D

**Section:** (none)

**Explanation**

### **QUESTION 3**

Identify the service provided by message authentication code (MAC) hash:

- A. data recovery.
- B. fault tolerance.
- C. key recovery.
- D. integrity

**Correct Answer:** D

**Section:** (none)

**Explanation**

### **QUESTION 4**

A protocol analyzer will most likely detect which security related anomalies?

- A. Many malformed or fragmented packets
- B. Passive sniffing of local network traffic
- C. Decryption of encrypted network traffic
- D. Disabled network interface on a server

**Correct Answer:** A

**Section:** (none)

**Explanation**

### **QUESTION 5**

Which item best describes an instance where a biometric system identifies legitimate users as being unauthorized?

- A. False acceptance
- B. False positive
- C. False rejection
- D. False negative

**Correct Answer: C**

**Section: (none)**

**Explanation**

#### **QUESTION 6**

Which of the following sequences is correct regarding the flow of the CHAP system?

- A. Logon request, encrypts value response, server, challenge, compare encrypts results, authorize or fail
- B. Logon request, challenge, encrypts value response, server, compare encrypted results, authorize or fail
- C. Logon request, challenge, server, encrypts value response, compare encrypted results, authorize or fail
- D. Logon request, server, encrypts value response, challenge, compare encrypted results, authorize or fail

**Correct Answer: B**

**Section: (none)**

**Explanation**

#### **QUESTION 7**

Which of the following can be used by an attacker to footprint a system?

- A. Man-in-the-middle attack
- B. RADIUS
- C. Port scanner
- D. Password cracker

**Correct Answer: C**

**Section: (none)**

**Explanation**

#### **QUESTION 8**

Which algorithms can best encrypt large amounts of data?

- A. Asymmetric key algorithms
- B. Symmetric key algorithms
- C. ECC algorithms
- D. Hashing algorithms

**Correct Answer: B**

**Section: (none)**

**Explanation**

#### **QUESTION 9**

You work as a network technician. You have been asked to reconstruct the infrastructure of an organization. You should make sure that the virtualization technology is implemented securely. What should be taken into

consideration while implementing virtualization technology?

- A. The technician should perform penetration testing on all the virtual servers to monitor performance.
- B. The technician should verify that the virtual servers and the host have the latest service packs and patches applied.
- C. The technician should verify that the virtual servers are dual homed so that traffic is securely separated.
- D. The technician should subnet the network so each virtual server is on a different network segment.

**Correct Answer:** B

**Section:** (none)

**Explanation**

#### **QUESTION 10**

After the maximum number attempts have failed, which of the following could set an account to lockout for 30 minutes?

- A. Account lockout threshold
- B. Account lockout duration
- C. Password complexity requirements
- D. Key distribution center

**Correct Answer:** B

**Section:** (none)

**Explanation**



## **Exam C**

### **QUESTION 1**

A company wants to monitor all network traffic as it traverses their network. Which item will be used by the technician?

- A. Honeypot
- B. Protocol analyzer
- C. HIDS
- D. Content filter

**Correct Answer: B**

**Section: (none)**

**Explanation**

### **QUESTION 2**

Which access control model uses Access Control Lists to identify the users who have permissions to a resource?

- A. MAC
- B. RBAC
- C. DAC
- D. None of the above.

**Correct Answer: C**

**Section: (none)**

**Explanation**

### **QUESTION 3**

Message authentication codes are used to provide which service?

- A. Integrity
- B. Fault recover
- C. Key recovery
- D. Acknowledgement

**Correct Answer: A**

**Section: (none)**

**Explanation**

### **QUESTION 4**

Which description is correct about a virtual server implementation attack?

- A. system registry will affect all virtual instances.
- B. OS kernel will affect all virtual instances.
- C. disk partition will affect all virtual instances.
- D. RAM will affect all virtual instances.

**Correct Answer: D**

**Section: (none)**

**Explanation**

**QUESTION 5**

Look at the following scenarios, which one would a penetration test BEST be used for?

- A. When providing a proof of concept demonstration for a vulnerability
- B. When conducting performance monitoring
- C. While in the reconnaissance phase
- D. When performing network mapping

**Correct Answer:** A

**Section:** (none)

**Explanation**

**QUESTION 6**

A user receives an email asking the user to reset the online banking username and password. The email contains a link and when the user accesses the link, the URL that appears in the browser does not match the link. This would be an example of:

- A. spoofing
- B. phishing
- C. hijacking
- D. redirecting

**Correct Answer:** B

**Section:** (none)

**Explanation**

**QUESTION 7**

In computing, virtualization is a broad term that refers to the abstraction of computer resources. Which is a security reason to implement virtualization throughout the network infrastructure?

- A. To implement additional network services at a lower cost
- B. To analyze the various network traffic with protocol analyzers
- C. To isolate the various network services and roles
- D. To centralize the patch management of network servers

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Page 11 of 25

Exam Name: CompTIA Bridge Exam - Security+

Exam Type: CompTIA

Exam Code: BR0-001 Total Questions 121

**QUESTION 8**

Which security applications require frequent signature updates? (Select TWO).

- A. Antivirus
- B. Firewall
- C. PKI
- D. IDS

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**QUESTION 9**

To aid in preventing the execution of malicious code in email clients, which of the following should be done by the email administrator?

- A. Spam and anti-virus filters should be used
- B. Regular updates should be performed
- C. Preview screens should be disabled
- D. Email client features should be disabled

**Correct Answer:** A

**Section:** (none)

**Explanation**

**QUESTION 10**

Which security action should be finished before access is given to the network?

- A. Identification and authorization
- B. Identification and authentication
- C. Authentication and authorization
- D. Authentication and password

**Correct Answer:** B

**Section:** (none)

**Explanation**

## Exam D

### QUESTION 1

You are a network technician of your company. You have just detected an intrusion on your company's network from the Internet. What should be checked FIRST?

- A. The firewall logs
- B. The performance logs

Page 20 of 25

Exam Name: CompTIA Bridge Exam - Security+

Exam Type: CompTIA

Exam Code: BR0-001 Total Questions 121

- C. The DNS logs
- D. The access logs

**Correct Answer:** A

**Section:** (none)

**Explanation**

### QUESTION 2

Which of the following statements regarding the MAC access control models is TRUE?

- A. The Mandatory Access Control (MAC) model is a dynamic model.
- B. In the Mandatory Access Control (MAC) the owner of a resource establishes access privileges to that resource.
- C. In the Mandatory Access Control (MAC) users cannot share resources dynamically.
- D. The Mandatory Access Control (MAC) model is not restrictive.

**Correct Answer:** C

**Section:** (none)

**Explanation**

### QUESTION 3

Which of the following statements regarding access control models is FALSE?

- A. The MAC model uses predefined access privileges to a resource to determine a user's access permissions to a resource.
- B. The RBAC model uses the role or responsibilities users have in the organization to determine a user's access permissions to a resource.
- C. In the DAC model a user's access permissions to a resource is mapped to the user's account.
- D. The MAC model uses Access Control Lists (ACLs) to map a user's access permissions to a resource.

**Correct Answer:** D

**Section:** (none)

**Explanation**

### QUESTION 4

Encryption is the conversion of data into a form, called a ciphertext, that cannot be easily understood by unauthorized people. Which of the following is considered the weakest encryption?

- A. SHA
- B. DES

- C. RSA  
Page 19 of 25  
Exam Name: CompTIA Bridge Exam - Security+  
Exam Type: CompTIA  
Exam Code: BR0-001 Total Questions 121
- D. AES

**Correct Answer:** B  
**Section:** (none)  
**Explanation**

#### QUESTION 5

A public key \_\_\_\_\_ is a pervasive system whose services are implemented and delivered using public key technologies that include Certificate Authority (CA), digital certificates, non-repudiation, and key history management.

- A. cryptography scheme
- B. distribution authority
- C. exchange
- D. infrastructure

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

#### QUESTION 6

Many unauthorized staff have been entering the data center by piggybacking authorized staff. The CIO has mandated to stop this behavior. Which technology should be installed at the data center to prevent piggybacking?

- A. Mantrap
- B. Token access
- C. Security badges
- D. Hardware locks

**Correct Answer:** A  
**Section:** (none)  
**Explanation**

#### QUESTION 7

Which key can be used by a user to log into their network with a smart card?

- A. Public key
- B. Cipher key
- C. Shared key
- D. Private key

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**QUESTION 8**

Which item specifies a set of consistent requirements for a workstation or server?

- A. Patch management
- B. Vulnerability assessment
- C. Imaging software
- D. Configuration baseline

**Correct Answer:** D

**Section:** (none)

**Explanation**

**QUESTION 9**

Which of the following refers to the ability to be reasonably certain that data is not disclosed to unintended persons?

- A. Non-repudiation
- B. Integrity
- C. Authentication
- D. Confidentiality

**Correct Answer:** D

**Section:** (none)

**Explanation**

**QUESTION 10**

Which intrusion detection system will use well defined models of how an attack occurs?

- A. Anomaly
- B. Protocol
- C. Signature
- D. Behavior

**Correct Answer:** C

**Section:** (none)

**Explanation**

**QUESTION 11**

A user has a sensitive message that needs to be sent in via email. The message needs to be protected from interception. Which of the following should be used when sending the email?

- A. Digital signatures
- B. Social engineering
- C. Encryption
- D. Non-repudiation

**Correct Answer:** C

**Section:** (none)

**Explanation**

**QUESTION 12**

The Lightweight Directory Access Protocol or LDAP is an application protocol for querying and modifying directory services running over TCP/IP. A user needs to implement secure LDAP on the network. Which port number will secure LDAP use by default?

- A. 53
- B. 389
- C. 443
- D. 636

**Correct Answer:** D

**Section:** (none)

**Explanation**

## Exam E

### QUESTION 1

The DAC (Discretionary Access Control) model has an inherent flaw. Choose the option that describes this flaw.

- A. The DAC (Discretionary Access Control) model uses only the identity of the user or specific process to control access to a resource. This creates a security loophole for Trojan horse attacks.
- B. The DAC (Discretionary Access Control) model uses certificates to control access to resources. This creates an opportunity for attackers to use your certificates.
- C. The DAC (Discretionary Access Control) model does not use the identity of a user to control access to resources. This allows anyone to use an account to access resources.
- D. The DAC (Discretionary Access Control) model does not have any known security flaws.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

End of Document

Page 25 of 25

### QUESTION 2

After installing new software on a machine, what needs to be updated to the baseline?

- A. Honeypot
- B. Signature-based NIPS
- C. Signature-based NIDS
- D. Behavior-based HIDS

Page 24 of 25

Exam Name: CompTIA Bridge Exam - Security+

Exam Type: CompTIA

Exam Code: BR0-001 Total Questions 121

**Correct Answer:** D

**Section:** (none)

**Explanation**

### QUESTION 3

An important component of a good data retention policy is:

- A. backup software licensing
- B. offsite storage
- C. magnetic media sorting
- D. server drive redundancy

**Correct Answer:** B

**Section:** (none)

**Explanation**

### QUESTION 4

Documentation describing a group expected minimum behavior is known as: Documentation describing a group? expected minimum behavior is known as:



- A. the need to know
- B. acceptable usage
- C. the separation of duties
- D. a code of ethics

**Correct Answer:** D

**Section:** (none)

**Explanation**

#### **QUESTION 5**

Patch management must be combined with full-featured systems management to be effective. Determining which patches are needed, applying the patches and which of the following are three generally accepted activities of patch management?

- A. Backing up the patch file executables to a network share
- B. Updating the firewall configuration to include the patches
- C. Auditing for the successful application of the patches
- D. Running a NIDS report to list the remaining vulnerabilities

**Correct Answer:** C

**Section:** (none)

**Explanation**

#### **QUESTION 6**

Which access control system allows the system administrator to establish access permissions to network resources?

- A. MAC
- B. DAC
- C. RBAC
- D. None of the above.

**Correct Answer:** A

**Section:** (none)

**Explanation**

#### **QUESTION 7**

In computing, a stateful firewall (any firewall that performs stateful packet inspection (SPI) or stateful inspection) is a firewall that keeps track of the state of network connections (such as TCP streams, UDP communication) traveling across it. You have been studying stateful packet inspection and want to perform this security technique on the network. Which device will you use to BEST utilize stateful packet inspection?

- A. Switch
- B. Hub
- C. IDS
- D. Firewall

**Correct Answer:** D

**Section:** (none)

**Explanation**

**QUESTION 8**

Which of the following would be MOST important to have to ensure that a company will be able to recover in case of severe environmental trouble or destruction?

- A. Disaster recovery plan
- B. Alternate sites
- C. Offsite storage
- D. Fault tolerant systems

**Correct Answer:** A

**Section:** (none)

**Explanation**

**QUESTION 9**

The first step in risk identification would be to identify:

- A. assets
- B. costs
- C. threats
- D. vulnerabilities

**Correct Answer:** A

**Section:** (none)

**Explanation**

**QUESTION 10**

In computer security, an access control list (ACL) is a list of permissions attached to an object. Which log will reveal activities about ACL?

- A. Performance
- B. Mobile device
- C. Firewall
- D. Transaction

**Correct Answer:** C

**Section:** (none)

**Explanation**

**QUESTION 11**

Virtualized applications, such as virtualized browsers, can protect the underlying operating system from which of the following?

- A. Malware installation from suspects Internet sites
- B. DDoS attacks against the underlying OS
- C. Man-in-the-middle attacks
- D. Phishing and spam attacks

**Correct Answer:** A

**Section:** (none)

**Explanation**

**QUESTION 12**

Network traffic is data in a network. Which tool can be used to review network traffic for clear text passwords?

- A. Firewall
- B. Protocol analyzer
- C. Password cracker
- D. Port scanner

**Correct Answer:** B

**Section:** (none)

**Explanation**

**QUESTION 13**

Which of the following would be an example of a high-availability disk technology?

- A. Load balancing
- B. Clustering
- C. RAID
- D. Remote access

**Correct Answer:** C

**Section:** (none)

**Explanation**

**QUESTION 14**

Which of the following are types of certificate-based authentication? (Select TWO)

- A. Many-to-one mapping
- B. One-to-one mapping
- C. One-to-many mapping
- D. Many-to-many mapping

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**QUESTION 15**

Why does a technician use a password cracker?

- A. To look for weak passwords on the network
- B. To enforce password complexity requirements
- C. To change users passwords if they have forgotten them
- D. To change a users passwords when they leave the company

**Correct Answer:** A

**Section:** (none)

**Explanation**

**QUESTION 16**

Choose the mechanism that is NOT a valid access control mechanism.

- A. DAC (Discretionary Access Control) list.
- B. SAC (Subjective Access Control) list.
- C. MAC (Mandatory Access Control) list.
- D. RBAC (Role Based Access Control) list.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**



<http://www.gratisexam.com/>