

Pass4Sure.LX0-102_82.QA

Number: LX0-102
Passing Score: 800
Time Limit: 120 min
File Version: 20.04



<http://www.gratisexam.com/>

Pass4Sure
CompTIA LX0-102
Linux Part 2

- ◆ This VCE is valid n awesome, I passed Today,971/1000
- ◆ All the questions are new one.there is no repetition of any question.
- ◆ Valid this exam all questions come from this .

Exam A

QUESTION 1

What word will complete an if statement in bash such as the following: if [-x "\$file"]; then echo \$file _____ (Please provide the missing word only).

Correct Answer: FI

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

An administrator decides to use xinetd instead of inetd. Now, the administrator needs to transfer information from /etc/inetd.conf to another file. What file must be created or edited? (Please specify the full path).

Correct Answer: /ETC/XINETD.CONF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

An administrator wants to determine the geometry of a particular window in X, so the administrator issues the _____ -metric command and then clicks on the window. (Please enter only a single command and do not enter duplicate answers in this field.)

Correct Answer: /USR/BIN/XWININFO,XWININFO

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

The command _____ prints a list of email that is currently in the queue waiting for delivery. (Please specify the command with or without path or arguments)



<http://www.gratisexam.com/>

Correct Answer: /USR/BIN/MAILQ,MAILQ

Section: (none)

Explanation

Explanation/Reference:

answer is well explained.

QUESTION 5

To slave the NTP daemon to an external source, an administrator needs to modify the _____ variable in the /etc/ntp.conf file.

Correct Answer: SERVER

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

By default, which directories contents will be copied to a new user's home directory when the account is created, passing the -m option to the useradd command?

Correct Answer: /ETC/SKEL,/ETC/SKEL/

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

Please specify the directory containing the configuration files for the CUPS printing system.

(Provide the full path to the directory).

Correct Answer: /ETC/CUPS,/ETC/CUPS/

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8

Which file specifies the user accounts can NOT submit jobs via at or batch? (Provide the full path and filename).

Correct Answer: /ETC/AT.DENY

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9

The _____ command is used to add a group to the system. (Please enter only a single command and do not enter duplicate answers in this field.)

Correct Answer: /USR/SBIN/GROUPADD,GROUPADD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

What word is missing from the following SQL statement? updatetablename _____
fieldname='value' where id=909;

Correct Answer: SET,SET

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

What is the command to delete the default gateway from the system IP routing table? (Please specify the complete command with arguments, please no duplicate answers in this field.)

Correct Answer: /sbin/route del 0.0.0.0,/sbin/route del default,/sbin/route del 0.0.0.0,/sbin/route del default,route del 0.0.0.0,route del default

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

What word is missing from the following SQL statement? select count(*) _____ tablename;

Correct Answer: FROM

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

Which option, when passed to the gpg command, will enter an interactive menu enabling the user to perform key management related tasks? (Provide only one option).

Correct Answer: EDIT-KEY

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

To slave the NTP daemon to an external source, an administrator needs to modify the _____ variable in the /etc/ntp.conf file.

Correct Answer: SERVER

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

An administrator wants to temporarily prevent users from logging in. Please complete the following command: touch /etc/_____

Correct Answer: NOLOGIN

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

An ISP has given an administrator an IP block for use. The block is 192.168.112.64/26. If the administrator uses the first usable IP for the router that is installed on the network, how many usable IPs are left? (Please enter the number and not a word)

Correct Answer: 61

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

An administrator is logged in as root. What command should the administrator run to find out what groups user bruno belongs to?



<http://www.gratisexam.com/>

Correct Answer: /USR/BIN/GROUPSBRUNO,/USR/BIN/IDBRUNO,GROUPSBRUNO,IDBRUNO

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

An administrator is configuring a secured webserver, however connecting to https://127.0.0.1 is not working. The administrator runs netstat -ntl, which returns the following output: tcp 0 0 0.0.0.0:80 0.0.0.0:* LISTEN What port should be listening before a successful connection is possible? (Provide only the numerical value of the port).

Correct Answer: 443

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

After configuring printing on a Linux server, the administrator sends a test file to one of the printers and it fails to print. What command can be used to print the status of the printer's queue? (Provide only the command, without any options or parameters).

Correct Answer: /USR/BIN/LPQ,LPQ

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

By default, which directories contents will be copied to a new user's home directory when the account is created, passing the -m option to the useradd command?

Correct Answer: /ETC/SKEL,/ETC/SKEL/

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

Which IP protocol is connectionless and unreliable? (Please enter only a single answer and do not enter duplicate answers in this field.)

Correct Answer: UDP,UDP,UDP/IP,UDP/IP

Section: (none)

Explanation

Explanation/Reference:

QUESTION 22

What is the command to delete the default gateway from the system IP routing table? (Please specify the complete command with arguments, please no duplicate answers in this field.)

Correct Answer: /sbin/iproute del 0.0.0.0,/sbin/iproute del default,/sbin/route del 0.0.0.0,/sbin/route del default,iproute del 0.0.0.0,iproute del default,route del 0.0.0.0,route del default

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

In an xinetd config file, what attribute specifies the network address that will be used to offer the service? (Please enter only one answer and do not enter duplicate answers in this field.)

Correct Answer: bind,interface

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24

The _____ command is used to print the network connections, routing tables, and interface statistics. (Please enter only a single command and do not enter duplicate answers in this field.)

Correct Answer: /bin/netstat,/sbin/ip,ip,netstat

Section: (none)

Explanation

Explanation/Reference:

QUESTION 25

The _____ command is used to assign an IP address to a device. (Please specify a single command with or without path information)

Correct Answer: /sbin/ifconfig,/sbin/ip,ifconfig,ip

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

Given the following line from /etc/nsswitch.conf: hosts: files mdns4_minimal [NOTFOUND=return] dns mdns4 By default, which file will be queried first for hostname lookups? (Provide the full path and filename).

Correct Answer: /etc/hosts

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

What command can be used to generate log entries of any facility and priority? (Supply just the command name without a path).

Correct Answer: logger

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

What argument to the -name flag of find will match files or directories beginning with a '.' (period)?

Correct Answer: .*

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

To exclude all log messages of a given logging facility, an administrator should use a logging priority of ____ .

Correct Answer: NONE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30

Which file lists which users can execute commands using sudo? (Provide the full path and filename).

Correct Answer: /ETC/SUDOERS

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31

Which file contains a list of services and hosts that will be denied by a TCP Wrapper such as tcpd? (Please enter the full path).



<http://www.gratisexam.com/>

Correct Answer: /ETC/HOSTS.DENY

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

The legacy program for sending files to the printer queues from the command line is which of the following?

- A. lpd
- B. lpr
- C. lpq
- D. lpp

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 33

Which of the following statements would create a default route using a gateway of 192.168.1.1?

- A. netstat -add default gw
- B. route default 192.168.1.1
- C. ip route default 192.168.1.1
- D. route add default gw 192.168.1.1
- E. ifconfig default gw 192.168.1.1 eth0

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 34

Which of the following is the purpose of the dig command?

- A. To adjust a directory's hidden permissions
- B. To search for files on the filesystem
- C. To adjust a file's hidden permissions
- D. To perform hostname lookups
- E. To ping all known hosts on the current subnet

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

well explained.

QUESTION 35

Which of the following configuration files does sudo read when determining if a user is permitted to run applications with root privileges?

- A. /etc/groups
- B. /etc/passwd
- C. /etc/sudoers
- D. /etc/sudo.conf

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 36

Which of the following commands will set the local machine's timezone to UTC?

- A. cat UTC > /etc/timezone
- B. ln -s /usr/share/zoneinfo/UTC /etc/localtime
- C. date --timezone=UTC
- D. mv /usr/timezone/UTC /etc

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 37

Which of the following commands should be added to /etc/bash_profile to change the language of messages from an internationalised program to Portuguese (pt)? (Select TWO).

Real 3

CompTIA LX0-102 Exam

- A. export LANGUAGE="pt"
- B. export MESSAGE="pt"
- C. export LANG="pt"
- D. export LC_MESSAGES="pt"
- E. export ALL_MESSAGES="pt"

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 38

Which of the following is pool.ntp.org?

- A. A deprecated feature for maintaining system time in the Linux kernel.
- B. A website which provides binary and source packages for the OpenNTPD project.
- C. A virtual cluster of various timeservers.
- D. A community website used to discuss the localization of Linux.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 39

Which of the following directories in a user's home contains configuration files and key rings for GPG?

- A. ~/gpg.d/
- B. ~/.gpg/
- C. ~/.gnupg/
- D. ~/gnupg/
- E. ~/.gpg.d/

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 40

Which of the following lines from /etc/X11/xorg.conf indicates that fonts can be found on a font server?

Real 4

CompTIA LX0-102 Exam

- A. FontPath= server
- B. Fonts "unix/:7100"
- C. FontPath "unix/:7100"
- D. Fonts= server
- E. Fontserver = "servername"

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 41

The files in the /etc/skel directory are used by the:

- A. pwconv command
- B. pwunconv command
- C. useradd command
- D. passwd command

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 42

Which of the following SQL statements will select the fields name and address from the contacts table?

- A. SELECT (name, address) FROM contacts;
- B. SELECT (name address) FROM contacts;
- C. SELECT name, address FROM contacts;
- D. SELECT name address FROM contacts;

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 43

Which of the following configuration files would an administrator edit to change default options for outbound ssh sessions?

Real 5

CompTIA LX0-102 Exam

- A. /etc/ssh/sshd_config
- B. /etc/ssh/ssh
- C. /etc/ssh/client

- D. /etc/ssh/ssh_config
- E. /etc/ssh/ssh_client

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 44

Which of the following bash option will prevent an administrator from overwriting a file with a ">"?

- A. set -o safe
- B. set -o noglob
- C. set -o noclobber
- D. set -o append
- E. set -o nooverwrite

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 45

All of the following are Mail Transport Agents EXCEPT:

- A. exim
 - B. postfix
 - C. sendmail
 - D. qmail
 - E. mail
- Real 6
CompTIA LX0-102 Exam

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 46

Which of the following programs uses the hosts.allow file to perform its main task of checking for



<http://www.gratisexam.com/>

access control restrictions to system services?

- A. tcpd
- B. inetd
- C. fingerd
- D. mountd
- E. xinetd

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 47

In the following command and its output, echo \$\$ 12942 which of the following is 12942?

Real 8
CompTIA LX0-102 Exam

- A. The process ID of the echo command.
- B. The process ID of the current shell.
- C. The process ID of the last command executed.

D. The process ID of the last backgrounded command.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 48

Which of the following commands will print the exit value of the previous command to the screen in bash?

- A. echo \$?
- B. echo \$#
- C. echo \$exit
- D. echo \$status
- E. echo \$&}

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 49

Which of the following statements about crontab are true? (Select TWO).

- A. Every user may have their own crontab.
- B. Changing a crontab requires a reload/restart of the cron daemon.
- C. The cron daemon reloads crontab files automatically when necessary.
- D. hourly is the same as "0 * * * *".
- E. A cron daemon must run for each existing crontab.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 50

Which of the following commands is used to deactivate a network interface?

- A. ifdown
- B. ipdown
- C. net
- D. netdown

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 51

Which of the following looks like a correct entry in the /etc/hosts file?

- A. localhost 127.0.0.1 localhost.localdomain
- B. localhost.localdomainlocalhost 127.0.0.1
- C. localhostlocalhost.localdomain 127.0.0.1
Real 10
CompTIA LX0-102 Exam
- D. 127.0.0.1 localhost.localdomainlocalhost
- E. localhost.localdomain 127.0.0.1 localhost

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 52

Which of the following lines would an administrator find in the file /etc/resolv.conf?

- A. order hosts,bind

- B. 192.168.168.4 dns-server
- C. hosts: files,dns
- D. domain mycompany.com

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 53

Which of the following find commands will print out a list of suid root files in /usr?

- A. find /usr -uid 0 -perm +4000
- B. find -user root +mode +s /usr
- C. find -type suid -username root -d /usr
- D. find /usr -ls *s* -u root
- E. find /usr -suid -perm +4000

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 54

Which of the following commands will provide locale-specific information about a system and its environment?

- A. loconfig
- B. getlocale
- C. locale
- D. tzconfig
- E. tzselect

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 55

Which of the following should the permission settings be for /etc/passwd and /etc/shadow?

- A. /etc/passwd: -rw-r--r-- /etc/shadow: -r-----
- B. /etc/passwd: -r----- /etc/shadow: -rw-r--r--
- C. /etc/passwd: -rw-r--r-- /etc/shadow: -rw-r--r--
- D. /etc/passwd: -r----- /etc/shadow: -r-----}

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 56

Which of the following configuration files should be modified to set default shell variables for all users?

- A. /etc/bashrc
- B. /etc/profile
- C. ~default/.bash_profile
- D. /etc/skel/.bashrc
- E. /etc/skel/.bash_profile

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 57

Suppose that the command `netstat -a` hangs for a long time without producing output. An administrator might suspect:

- A. a problem with NFS
- B. a problem with DNS
- C. a problem with NIS
- D. a problem with routing
- E. that the netstat daemon has crashed

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 58

Which of the following statements are true regarding the below `syslog.conf` configuration directive? (Select THREE) `*.err;kern.notice;auth.notice /dev/console`

- A. Severity crit messages from all facilities will be directed to `/dev/console`
- B. Severity notice messages from the auth facility will be directed to `/dev/console`
- C. Severity notice messages from the kern facility will be directed to `/dev/console`
- D. Severity err messages from the mail facility will be directed `/dev/console`
- E. Severity notice messages from all facilities will be directed to `/dev/console`

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

answer is verified.

QUESTION 59

On a system running the K Display Manager, when is the `/etc/kde4/kdm/Xreset` script automatically executed?

- A. When KDM starts
- B. When a user's X session exists
- C. When KDM crashes
- D. When X is restarted

E. When X crashes

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 60

Which of the following is the BEST way to temporarily suspend a user's ability to interactively login?

- A. Changing the user's UID.
- B. Changing the user's password.
- C. Changing the user's shell to /bin/false.
- D. Removing the user's entry in /etc/passwd.
- E. Placing the command logout in the user's profile.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 61

To test a shell script called myscript, the environment variable FOOBAR must be removed temporarily. How can this be done?

- A. unset -v FOOBAR
- B. set -a FOOBAR=""
- C. env -u FOOBAR myscript
- D. env -i FOOBAR myscript

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

Which of the following commands is used to display user resource limits?



<http://www.gratisexam.com/>

- A. uname
- B. limit -a
- C. usrlmt
- D. ulimit

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 63

Which of the following lines would an administrator find in the file `/etc/nsswitch.conf`?

- A. order hosts,bind
- B. 192.168.168.4 dns-server
- C. hosts: files dns
- D. domain mycompany.com

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 64

Which of the following commands can an administrator use to change a user's password expiry information? (Select THREE).

- A. usermod
- B. passwd
- C. chattr
- D. chage
- E. chsh

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 65

Which of the following statements is true regarding the below /etc/resolv.conf file? search example.com 127.0.0.1 208.77.188.166

- A. There is a syntax error.
- B. If DNS queries to the localhost fail, the server 208.77.188.166 will be queried.
- C. example.com will be appended to all host lookups.
- D. The DNS servers at 127.0.0.1 and 208.77.188.166 will be queried in a round robin fashion.
- E. The DNS server with the shortest ping time will be queried first. If the lookup fails, the second server will be queried.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 66

Which of the following crontab entries could be used to set the system time at regular intervals?

- A. 1 0 * * * date \$d \$t \$24
- B. 1 0 * * * settime \$d \$t \$24
- C. 1 0 * * * date<ntp1.digex.net

- D. 1 0 * * * /usr/sbin/runcron date <ntp1.digex.net
- E. 1 0 * * * /usr/sbin/ntpdate ntp1.digex.net > /dev/null 2>&1

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

QUESTION 67

Which of the following outputs will the below command produce? seq 1 5 20

- A. 1
- B. 1
Real 16
CompTIA LX0-102 Exam
- C. 1
- D. 2
- E. 5

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 68

When using ssh, which of the following can an administrator do to recover a lost passphrase for a DSA or RSA authentication key?

- A. Run the ssh-keygen command.
- B. Run the ssh --recover command.
- C. A lost passphrase cannot be recovered.
- D. Decrypt the authentication key with gpg.
- E. Decrypt the authentication key with ssh --decrypt.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 69

Which of the following describes the Linux ping packet or datagram?

- A. IP packet with a packet type
- B. ICMP packet with a message type
- C. ICMP packet with a payload
- D. UDP datagram with a protocol type
Real 17
CompTIA LX0-102 Exam
- E. UDP datagram with a payload

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 70

Which of the following entries can an administrator add to syslog.conf file to have all syslog messages generated by the administrator system go file to have all syslog messages generated by the administrator? system go to virtual console 12?

- A. *. * /dev/tty12
- B. /var/log/messages | /dev/tty12
- C. | /dev/tty12
- D. syslog tty12
- E. mail.* /dev/tty12

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 71

An administrator has just set up the X Display Manager as the default display manager. Which of the following files should be edited to change the default background for it?

Real 18
CompTIA LX0-102 Exam

- A. /etc/X11/xdm/Xsetup
- B. /etc/X11/prefdm
- C. /etc/X11/xorg.conf
- D. /etc/X11/xdm.conf

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

answer is up-to-date.

QUESTION 72

An administrator is running an email server configured with the default settings. In which directory will the administrator commonly find the delivered mail for the user foo?

- A. /var/spool/mail
- B. /home/foo/mail
- C. /var/mail/spool
- D. /var/users/mail

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 73

On a dual boot system, every time the system is booted back into Linux the time has been set backward by two hours. Which of the following commands will correct the problem so it will not occur again?

- A. ntpdate pool.ntp.org
 - B. date -d 'two hours'
 - C. hwclock --hctosys --localtime
 - D. time hwclock
- Real 36
CompTIA LX0-102 Exam

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 74

Which of the following files, when using Sendmail or a similar MTA system, will allow a user to redirect all their mail to another address and is configurable by the user themselves?

- A. /etc/alias
- B. /etc/mail/forwarders
- C. ~/.alias
- D. ~/.forward

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 75

A senior executive asked an administrator to change the default background of the executive machine, which uses XDM. Which of the following filesA senior executive asked an administrator to change the default background of the executive? machine, which uses XDM. Which of the following files would the administrator edit to achieve this?

- A. /etc/X11/xdm/Xsetup
- B. /etc/X11/xdm.conf
- C. /etc/X11/xdm/Defaults
- D. /etc/X11/defaults.conf

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Real 37

QUESTION 76

A user was not given permission to use the CRON scheduling system. What file needs to be modified to provide that access? (Please specify the full path to the file).

Correct Answer: /ETC/CRON.ALLOW

Section: (none)

Explanation

Explanation/Reference:

QUESTION 77

An ISP has given an administrator an IP block for use. The block is 192.168.112.64/26. If the administrator uses the first usable IP for the router that is installed on the network, how many usable IPs are left? (Please enter the number and not a word)

Correct Answer: 61

Section: (none)

Explanation

Explanation/Reference:

QUESTION 78

An administrator is configuring a secured webserver, however connecting to https://127.0.0.1 is not working. The administrator runs netstat -ntl, which returns the following output: tcp 0 0 0.0.0.0:80 0.0.0.0:* LISTEN What port should be listening before a successful connection is possible? (Provide only the numerical value of the port).

Correct Answer: 443

Section: (none)

Explanation

Explanation/Reference:

QUESTION 79

Which protocol uses two (2) TCP/IP ports one of them being port 20 for data transfer? (Please do not enter duplicate answers in this field.)

Correct Answer: FTP,FTP

Section: (none)

Explanation

Explanation/Reference:

QUESTION 80

An administrator can run the _____ command to see active network and UNIX domain socket connections. (Please specify the command with no options or parameters).

Correct Answer: /BIN/NETSTAT,NETSTAT

Section: (none)

Explanation

Explanation/Reference:

QUESTION 81

An administrator needs to sync the hardware clock, which is on GMT, with the system clock, which the administrator just updated with NTP. To do this, complete the following command: _____ - u --systohc

Correct Answer: /SBIN/HWCLOCK,/USR/SBIN/HWCLOCK,HWCLOCK

Section: (none)

Explanation

Explanation/Reference:

QUESTION 82

An administrator has added the following line to /etc/inittab in order to disable the ability to reboot a Debian system by pressing the Control + Alt + Delete keys simultaneously:
ca:12345:_____:bin/echo "Rebooting disabled" Please provide the missing string.

Correct Answer: CTRLALTDEL

Section: (none)

Explanation

Explanation/Reference:



<http://www.gratisexam.com/>