

actualtests.Hitachi.HH0-220.2012.06.03.by.getitcert

Number: 000-000
Passing Score: 800
Time Limit: 120 min
File Version: 1.0



<http://www.gratisexam.com/>

WWW.GETITCERT.COM

Get IT Certification Without Exam!

No Exam Needed
100% Secure
Authenticated Certs
Flexible Payment Plan
Visible Exam Progress
Hassle-Free Process

Support@Getitcert.com

Hitachi HH0-220



Hitachi Data Systems Implementation ?Modular exam

Version: 5.0
Hitachi HH0-220 Exam

Exam A

QUESTION 1

What is Hitachi Data System's recommended practice for zoning?

- A. port-based zoning
- B. zoning is optional
- C. single HBA zoning (one HBA per zone)
- D. single operation system zoning (all HBAs from one OS in a zone)

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 2

A customer has identified a performance bottleneck with Online Transaction Processing (OLTP) production host LUNs. The performance improvement plan includes a change to the Hitachi Dynamic Link Manager load balancing algorithm which is currently set to Round Robin. Which setting would you recommend?

- A. Least I/Os
- B. Least blocks
- C. Extended Round Robin
- D. Extended Least blocks

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 3

You have just allocated four 3TB LUNs from a Hitachi Unified Storage System to a set of ESX 4.x servers. The VMware administrator can see volumes that are assigned to the servers from an older storage array, but not the volumes you have just allocated. What is the most likely cause?

- A. The FC switch ports need to be disabled/enabled to force the HBAs to re-login to the fabric.
- B. This a newer storage array with an older version of ESX so the HBA drivers need to be updated.
- C. ESX 4.x servers cannot recognize volumes that are 2TB or larger.
- D. The rescan function in VMware is not working, so both servers need to be rebooted.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

"Pass Any Exam. Any Time." - www.actualtests.com 2 Hitachi HH0-220 Exam

Explanation:

QUESTION 4

You want to configure SNMP on a Hitachi Unified Storage system. The license key is already installed and enabled. What are two key steps when configuring SNMP? (Choose two.)

- A. Import the MIB file into the HUS.
- B. Install an SNMP Manager on the HUS.
- C. Create the SNMP environment file in the HUS.

D. Register the SNMP configuration files in the HUS.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 5

A customer wants to create a multi-path environment for a specific Redhat Linux application on a Hitachi Unified Storage system. They have created Host Groups on all of the available ports and mapped the logical units accordingly. Which two multi-pathing options can be used for active/active connectivity? (Choose two.)

- A. Device Mapper
- B. Multipath I/O (MPIO)
- C. Hitachi Dynamic Link Manager
- D. Multiplexed I/O (MPxIO)

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 6

You are implementing a Hitachi Unified Storage File Module cluster with a single SMU. How do you run the smu-config script?



<http://www.gratisexam.com/>

- A. Connect an Ethernet cable and login as supervisor.
- B. Connect a serial null-modem cable and login as supervisor.
- C. Connect an Ethernet cable and login as root.
"Pass Any Exam. Any Time." - www.actualtests.com 3 Hitachi HH0-220 Exam
- D. Connect a serial null-modem cable and login as root.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 7

What needs to be replaced in case of a local memory DIMM failure on a Hitachi Unified Storage controller?

- A. the controller
- B. the local memory DIMM
- C. the controller and the local memory DIMM
- D. the controller, the local memory DIMM and the cache DIMMs

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 8

You are upgrading a Hitachi Unified Storage (HUS) system with the File Module option. Which combination is required to support this upgrade?

- A. FC connectivity between the HUS and the File Module plus the Hitachi BOS F software bundle
- B. 10GbE connectivity between the HUS and the File Module plus the Hitachi BOS M software bundle
- C. FCoE connectivity between the HUS and the File Module plus the Hitachi BOS F software bundle
- D. FC connectivity between the HUS and the File Module plus the Hitachi BOS N software bundle

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 9

A customer wants to migrate data between two Hitachi Unified Storage systems using TrueCopy. What are two requirements? (Choose two.)

"Pass Any Exam. Any Time." - www.actualtests.com 4 Hitachi HH0-220 Exam

- A. The DM-LU must be greater than 10GB.
- B. There must be FC connectivity between the arrays.
- C. The P-Vol and S-Vol size must be equal.
- D. A Command Device must be created.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 10

What are three characteristics of the Hitachi Unified Storage systems active/active controller design? (Choose three.)

- A. SNM2 GUI is used to turn on active/active controller processing.
- B. Workload is automatically balanced between controllers.
- C. When creating a LUN the default controller must be selected.
- D. The processor of Ctrl0 can access the Fibre Channel (FC) ports of Ctrl1.
- E. Non disruptive firmware upgrade is possible even if a host is connected by only one path.

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 11

A customer has a Hitachi Unified Storage (HUS) system model 110 configured with iSCSI I/O interface

boards. They now want to connect it to a FC-SAN and have purchased the FC-Option upgrade to do so. Which two tasks must be performed on the HUS system? (Choose two.)

- A. Set the HUS FC port topology as Fabric.
- B. Set the HUS FC port topology as Point-to-Point.
- C. Install and enable the FC-Option on the HUS.
- D. Install and enable the FC Expansion Board.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 12

A Hitachi Unified Storage system is connected to a Solaris server. If you want to optimize

"Pass Any Exam. Any Time." - www.actualtests.com 5 Hitachi HH0-220 Exam
performance for the host I/Os, how do you determine the appropriate queue depth value?

- A. Set queue depth to 1.
- B. Use the operating system default value.
- C. The value is set according to the results of the initial SCSI inquiry.
- D. Using the Host installation guide for Fibre Channel.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 13

When implementing host access security for a LUN in a Hitachi Unified Storage system, to what is the host WWN applied?

- A. Host Group
- B. Storage Group
- C. Domain Group
- D. Link Group

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 14

What are two effects of persistent binding? (Choose two.)

- A. Persistent binding can speed up path failover.
- B. Persistent binding guarantees Command Device security.
- C. Persistent binding can speed up the server boot process.
- D. Persistent binding guarantees that target assignments are preserved between reboots.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 15

Which two operations can be performed with the Web utility on a Hitachi Unified Storage system?

"Pass Any Exam. Any Time." - www.actualtests.com 6 Hitachi HH0-220 Exam
(Choose two.)

- A. Take a simple trace.
- B. Install license keys.
- C. Perform an online microcode update.
- D. Perform an offline microcode update.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 16

A customer wants to start using ShadowImage on several of their existing Hitachi Unified Storage systems. They would like a solution to centrally configure their Point-in-Time copies. Which product would you recommend?

- A. Hitachi Dynamic Replicator
- B. Hitachi Universal Replicator
- C. Business Continuity Manager
- D. Hitachi Replication Manager

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 17

What are two ways to register a new Hitachi Unified Storage system with Storage Navigator Modular 2?
(Choose two.)

- A. SNM2 can scan a range of IP addresses.
- B. SNM2 can import a .CSV file containing IP addresses.
- C. The controller IP addresses can be entered into SNM2.
- D. SNM2 automatically detects connected arrays using UDP broadcasts.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 18

"Pass Any Exam. Any Time." - www.actualtests.com 7 Hitachi HH0-220 Exam

You have been asked to allocate storage from a Hitachi Unified Storage system to a cluster of AIX hosts.

The application owner wants you to make sure that the queue depth is set to 16 for all the LUNs. Where do

you define the queue depth?

- A. on each LUN
- B. on the server HBAs
- C. on the WWNN Target Ports
- D. on the WWPN Target Ports

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 19

A customer will be implementing a Hitachi Unified Storage File Module two-node NAS cluster with one SMU. How many power connections are necessary?

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 20

How should the Hitachi Unified Storage systems dual power supplies be connected?

- A. by FS6 circuits breakers
- B. only one should be connected, the other being standby
- C. by adjacent sockets on a single power distribution unit
- D. by two independent and appropriately rated power distribution units

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 21

"Pass Any Exam. Any Time." - www.actualtests.com 8 Hitachi HH0-220 Exam

What is a key characteristic of the Modular Volume Migration feature on a Hitachi Unified Storage (HUS) system?

- A. It migrates volumes between HUS systems.
- B. It uses the Copy-on-Write Snapshot engine.
- C. It migrates volumes within the same RAID group.
- D. It migrates volumes within a HUS system.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 22

Which two statements relating to Storage Navigator Modular 2 (SNM2) are correct? (Choose two.)

- A. SNM2 issues SNMP alerts for failed components within the system.
- B. SNM2 allows you to change the IP address and port number used to communicate with the system.
- C. SNM2 uses out-of-band communication to administer the system and in-band communication to manage replication.
- D. SNM2 can be used to define the Command Devices and the Differential Management LUNs needed by replication software.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 23

A customer has multiple cache partitions defined on a Hitachi Unified Storage system. They would like to change one of the partitions characteristics. Which three settings can be modified? (Choose three.)

- A. stripe size
- B. cache size
- C. segment size
- D. partition number
- E. owning controller

Correct Answer: BCE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

"Pass Any Exam. Any Time." - www.actualtests.com 9 Hitachi HH0-220 Exam

QUESTION 24

A Hitachi Unified Storage (HUS) system has been configured to use additional Host Groups. Which host interface type on the HUS can be used to access these Host Groups?

- A. FC
- B. iSCSI
- C. NAS
- D. IP

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 25

Which three steps must be completed to enable secure access to LUs? (Choose three.)

- A. Map LUs to the Host Group.
- B. Add host WWNs to the Host Group.

- C. Set Multi-path Mode.
- D. Add Fibre Channel ports.
- E. Enable Host Group security.

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 26

Which three access protocols are supported on the Hitachi Unified Storage File Module? (Choose three.)

- A. NCP
- B. CIFS
- C. iSCSI
- D. FCOE
- E. NFS

"Pass Any Exam. Any Time." - www.actualtests.com 10 Hitachi HH0-220 Exam

Correct Answer: BCE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 27

A customer would like to deploy Hitachi Global Link Manager (HGLM) to monitor for path errors on their SAN hosts running Hitachi Dynamic Link Manager (HDLM). Which method is used by the host to alert the HGLM server?

- A. SNMP
- B. SMTP
- C. SMS
- D. SIM

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 28

A customer is planning to deploy the Hitachi Command Suite (HCS) in an existing production environment that includes several Hitachi Unified Storage (HUS) systems with the File Module option. Which two advantages does HCS have over Storage Navigator Modular 2? (Choose two.)

- A. cross-platform management for both file and block
- B. ability to upgrade microcode non-disruptively
- C. agent-less discovery of hosts
- D. ability to manage multiple HUS systems

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 29

Which two expansion trays are supported on Hitachi Unified Storage (HUS) model 110? (Choose two.)

- A. 2U tray to hold up to 24 SFF drives
- B. 2U tray to hold up to 12 LFF drives
"Pass Any Exam. Any Time." - www.actualtests.com 11 Hitachi HH0-220 Exam
- C. 4U tray to hold up to 48 LFF drives
- D. 4U tray to hold up to 38 SFF drives

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 30

Which two resources should be reviewed before installation and maintenance operations? (Choose two.)

- A. HDS Technical White Papers
- B. HDS Maintenance Manuals
- C. HDS Storflash Bulletins
- D. HDS Engineering Change Notices (ECNs)

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 31

You need to replace the Controller Unit and the ENC Unit online on a Hitachi Unified Storage system. Which statement is correct about online replacement times?

- A. within 8 minutes for the Controller Unit and within 10 minutes for the ENC
- B. within 10 minutes for the Controller Unit and within 8 minutes for the ENC
- C. both Controller Unit and ENC within 8 minutes each
- D. both Controller Unit and ENC within 10 minutes each

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 32

Which command would you use to map an LU from a Hitachi Unified Storage system?

- A. aulumap
- B. auhgmap
"Pass Any Exam. Any Time." - www.actualtests.com 12 Hitachi HH0-220 Exam
- C. ausgmap
- D. aumaplu

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 33

You plan to use Storage Navigator Modular 2 (SNM2) to perform a non-disruptive upgrade of the firmware on a Hitachi Unified Storage (HUS) system. What are two requirements for this process? (Choose two.)

- A. The HUS must have a Device Manager Agent installed and running.
- B. There must be no hardware faults or missing components on the HUS.
- C. You must have a working LAN connection between the SNM2 server and the HUS.
- D. All hosts must be connected to the HUS using HDLM or similar multi-pathing software.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 34

A customer has received a Hitachi Dynamic Provisioning Early Alert warning by e-mail indicating that the default threshold has been reached on a Hitachi Unified Storage (HUS) system. What does this warning indicate?

- A. DP-Vols are provisioned over 200% of the DP pool capacity.
- B. DP-Vols have used over 40% of the DP pool capacity.
- C. The HUS has automatically added another free RAID Group to the DP pool.
- D. The HUS has projected that the DP pool will be used up within 24 hours.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 35

Which two statements relating to the online firmware upgrade are true for Hitachi Unified Storage systems? (Choose two.)

"Pass Any Exam. Any Time." - www.actualtests.com 13 Hitachi HH0-220 Exam

- A. Only the HUS model 150 storage system supports online firmware upgrades.
- B. Online firmware upgrades should not be scheduled for periods of high CPU workload.
- C. Online firmware upgrades can only be done using Storage Navigator Modular 2.
- D. All hosts must have multiple paths to the HUS when performing online firmware upgrades.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 36

You must install Hitachi Dynamic Link Manager (HDLM) on a customer's server but you are not sure if the

server HBA types and versions are supported. Which two actions would help you find this information? (Choose two.)

- A. Check the HDLM release notes.
- B. Call the HDS Customer Support Center.
- C. Check the HDLM Concepts and Planning Guide.
- D. Access the HiFire Web site to verify the configuration.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 37

What is the purpose of the System Assurance documentation?

- A. to ensure accurate and complete record of pre-installation data
- B. to guarantee that Hitachi Data Systems equipment is insured during transportation
- C. to inform a channel partner that equipment is available for shipment
- D. to validate configuration changes for customers with a premium service contract

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 38

Which technology is used on the back-end of the Hitachi Unified Storage systems?

"Pass Any Exam. Any Time." - www.actualtests.com 14 Hitachi HH0-220 Exam

- A. 6Gbps Fibre Channel FC-AL
- B. 6Gbps Point-to-Point Fibre Channel
- C. 6Gbps switched SATA Point-to-Point
- D. 6Gbps switched Serial Attached SCSI

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 39

Which two operations can be performed non-disruptively on Hitachi Universal Storage systems? (Choose two.)

- A. adding a Drive Box
- B. adding a FC Host I/O Module
- C. adding an iSCSI Host I/O Module
- D. adding disk drives

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 40

An administrator wants to install Hitachi Dynamic Link Manager (HDLM) on a Solaris server. Which two are required before performing the installation? (Choose two.)

- A. The server must have IPv6 disabled.
- B. A valid HDLM license must be obtained.
- C. The server must be in a dual path configuration.
- D. The processes of all applications accessing the devices to be managed by HDLM must be terminated.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 41

What are two functions that can be done using the Storage Navigator Modular 2 Logical Unit wizard on a Hitachi Unified Storage system? (Choose two.)

"Pass Any Exam. Any Time." - www.actualtests.com 15 Hitachi HH0-220 Exam

- A. Create multiple LUs.
- B. Create a new RAID Group.
- C. Enable Host Group Security.
- D. Select SATA II drives for LU creation.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 42

Which two Program Products reserve cache in a Hitachi Unified Storage system when they are installed, even if disabled? (Choose two.)

- A. TrueCopy
- B. Cache Partitioning Manager
- C. ShadowImage
- D. TrueCopy Extended

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 43

You want to add an account for a new storage administrator on a Hitachi Unified Storage system using Storage Navigator Modular 2. Which Account Authentication role must you have to be able to perform this task?

- A. Storage Administrator (View and Modify)

- B. Account Administrator (View and Modify)
- C. Security Administrator (View and Modify)
- D. Authentication Administrator (View and Modify)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 44

Which two statements relating to LU configuration and management on the Hitachi Unified Storage systems are correct? (Choose two.)

"Pass Any Exam. Any Time." - www.actualtests.com 16 Hitachi HH0-220 Exam

- A. A RAID group cannot be deleted before all its LUs have been deleted.
- B. A LU can be physically extended if there is space left in the RAID group.
- C. It is possible to format a LU quicker by attaching it to both controllers.
- D. It is possible to delete all RAID groups including all LUs on the system with one command.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 45

What are two characteristics of the Modular Volume Migration feature? (Choose two.)

- A. It requires Copy-on-Write to be enabled on the array.
- B. It can be managed by RAID Manager/CCI.
- C. It formats the source LU when migration is complete.
- D. It can be managed by Storage Navigator Modular 2 GUI.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 46

After opening a case with the Hitachi Data Systems technical support center, you have been asked to collect error information. How do you send the collected data to the technical support center?

- A. Upload to ftp://ftp.hds.com.
- B. Upload to https://tuf.hds.com.
- C. Upload to https://www.hds.com.
- D. Attach it to an email to HDS.Support.Center@hds.com.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 47

After the removal of a failed disk drive on a Hitachi Unified Storage system, how long should you wait before inserting a new drive?

"Pass Any Exam. Any Time." - www.actualtests.com 17 Hitachi HH0-220 Exam

- A. no need to wait
- B. more than 5 seconds
- C. more than 10 seconds
- D. more than 20 seconds

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 48

A customer would like to deploy a clustered File Module option on their Hitachi Unified Storage system. What is a valid connection for the cluster interconnect?

- A. 1Gb Ethernet
- B. 16Gb Fibre Channel
- C. 10Gb Ethernet
- D. 8Gb Fibre Channel

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 49

When performing an initial installation of a Hitachi Unified Storage system, which management tool must be used to set the date and time?

- A. Web Tool
- B. RAID Manager/CCI
- C. Hitachi Command Suite
- D. Storage Navigator Modular 2

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 50

Which statement regarding the Hitachi Unified Storage systems Web tool is correct?

"Pass Any Exam. Any Time." - www.actualtests.com 18 Hitachi HH0-220 Exam

- A. Web access is a part of the system firmware.
- B. The Web tool requires a dedicated license key to enable access.
- C. The Web tool is installed and enabled automatically when installing SNM2.
- D. Web access must be enabled separately in SNM2 for each storage system after activating the license key.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 51

You have just installed Hitachi Dynamic Link Manager on a Solaris server. What is the purpose of issuing the "dlnkmgr view -sys" command?

- A. It displays the configuration.
- B. It displays the primary path.
- C. It displays the alternate path.
- D. It configures the alternate path.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 52

Which two features make use of the Memory Management Layer in a Hitachi Unified Storage system? (Choose two.)

- A. Quick Format
- B. Normal Format
- C. Cache Residency
- D. ShadowImage

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 53

A customer wants to configure a specific 5GB LUN for the fastest possible response time on a Hitachi Unified Storage system. Which feature should be used?

"Pass Any Exam. Any Time." - www.actualtests.com 19 Hitachi HH0-220 Exam

- A. Cache Partition Manager
- B. Volume Migration
- C. Cache Residency Manager
- D. Data Retention Utility

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 54

Your Hitachi Unified Storage (HUS) customer uses the latest release of Hitachi Command Suite (HCS)

products, Device Manager and Tuning Manager. Which tab in the HCS main view is available to your customer for viewing HUS system performance data?

- A. Metrics
- B. Monitor
- C. Analytics
- D. Performance

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 55

A customer plans to start using Cache Partition Manager (CPM) on a Hitachi Unified Storage system. Which two statements regarding the installation and configuration of this Program Product are correct? (Choose two.)

- A. Configuring CPM requires a reboot.
- B. Adding the CPM license key requires a reboot.
- C. Installation and configuration of CPM can be done online.
- D. Adding the CPM license key does not require rebooting the system.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 56

A customer wants to migrate Hitachi AMS2100 data to a newly acquired Hitachi Unified Storage

"Pass Any Exam. Any Time." - www.actualtests.com 20 Hitachi HH0-220 Exam (HUS) system. Which statement about the migration is correct?

- A. TrueCopy between the AMS2100 and the HUS can be used.
- B. TrueCopy between the AMS2100 and the HUS cannot be used.
- C. Modular Volume Migration between the AMS2100 and the HUS can be used.
- D. TrueCopy Extended Distance can be used for a non-disruptive migration between the AMS2100 and the HUS.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 57

A user with Storage Administration View and Management rights has logged in to a Hitachi Unified Storage system. What happens if a second user with Storage Administration View and Management rights tries to log in to the same system?



<http://www.gratisexam.com/>

- A. The log in is allowed and both users will have storage administration rights.
- B. The log in of the second user will be refused because he has storage administration rights as well.
- C. The log in is allowed but the first user will keep the storage administration rights. The second user will be view-only.
- D. The log in is allowed and the second user will get the storage administration rights. The original user's rights are reduced to view-only.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 58

Which two apply when replacing a disk on a Hitachi Unified Storage (HUS) system? (Choose two.)

- A. A wrist strap must be used when replacing disk drives.
- B. The faulty drive must be blocked using SNM2 before replacement.
- C. The HUS needs to be in maintenance mode when disks are replaced.
- D. The Web tool should be used to confirm that the replacement is successful.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

"Pass Any Exam. Any Time." - www.actualtests.com 21 Hitachi HH0-220 Exam

QUESTION 59

A customer uses TrueCopy and ShadowImage with Hitachi AMS2000 modular arrays. They are interested in upgrading those systems to Hitachi Unified Storage (HUS). Which two benefits will the customer have with HUS systems in this environment? (Choose two.)

- A. TrueCopy and ShadowImage will no longer require a DM-LU.
- B. TrueCopy and ShadowImage will require less cache in the systems.
- C. The granularity of differential data being copied to the replication target has improved.
- D. The size of the DM-LU used for ShadowImage and TrueCopy will be reduced by about 50%.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 60

Which module is unique to the Hitachi Unified Storage (HUS) model 150?

- A. Cache Module to expand memory
- B. I/O Module for host interface options
- C. Battery Module to increase backup duration
- D. SSD Module to support cache backup

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 61

A customer has installed a Hitachi Unified Storage (HUS) system with only port 0A connected to a Linux server. There is a video streaming application running on the server. You have to perform a firmware update using SNM2. What will happen when the update is started?

- A. The Linux application will continue to function non-disruptively.
- B. The Linux server will time-out because there is no alternate path.
- C. The firmware update process will abort if the HUS does not have at least 5 seconds of no I/O activity on port 0A within 5 minutes.
- D. The firmware update will fail because the HUS active/active controller feature checks for alternate pathing.

"Pass Any Exam. Any Time." - www.actualtests.com 22 Hitachi HH0-220 Exam

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 62

Which three operations are allowed after enabling security on a Hitachi Unified Storage system Fibre Channel (FC) port? (Choose three.)

- A. Add multiple WWNs to one Host Group.
- B. Add the same WWN to multiple Host Groups on the same FC port.
- C. Create a Host Group with two different host connection modes.
- D. Add a LU to two different Host Groups behind two different ports.
- E. Create Host Groups with different host connection modes on the same FC port.

Correct Answer: ADE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 63

You have set Extended Round Robin on a server with intensive sequential I/O profile. Which two benefits result from implementing this algorithm? (Choose two.)

- A. tracks preloaded to cache
- B. blocks held permanent in Read Cache
- C. no tracks preloading on the system
- D. efficient cache usage on the storage system

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 64

You are installing the latest release of Hitachi Device Manager and Tuning Manager on different servers to support your Hitachi Unified Storage (HUS) environment. Which two statements are correct in regards to establishing communication between servers? (Choose two.)

- A. The servers use IPv4 protocol to communicate.
- B. The servers' system clocks must be synchronized with less than 5 minutes difference.
"Pass Any Exam. Any Time." - www.actualtests.com 23 Hitachi HH0-220 Exam
- C. The servers use a heartbeat poll over a dedicated management IP link.
- D. The servers communicate in-band over FC connections to the HUS.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 65

Which two statements accurately describe the Program Product functions available on Hitachi Unified Storage (HUS) systems? (Choose two.)

- A. LUN resizing is a basic function in SNM2 and does not require a separate license key.
- B. The Tray Power Saving function does require a separate license key.
- C. Restricting access to a HUS Command Device is possible using Account Authentication.
- D. Hitachi Dynamic Link Manager is used to control the HUS active/active controller feature.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 66

A manufacturing company wants to centrally manage all their multipath software using Hitachi Global Link Manager (HGLM). Which two types of multipath software are supported? (Choose two.)

- A. HDLM
- B. VxDMP
- C. PowerPath
- D. SDD

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 67

Which three actions should be performed when replacing parts on a Hitachi Unified Storage system? (Choose three.)

"Pass Any Exam. Any Time." - www.actualtests.com 24 Hitachi HH0-220 Exam

- A. Use a antistatic wrist wrap connected to the chassis.
- B. Perform a firmware upgrade to the latest MGA level.
- C. Collect and save a simple trace.
- D. Open a Clarify case with the HDS support center.
- E. Verify the system status using Web tool.

Correct Answer: ACE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 68

You have just allocated 10 LUNs on a Hitachi Unified Storage system to a HP-UX 11.i host. You now need to verify that the host can see the new storage. Which utility should you run on the HP- UX host?

- A. cfgmgr
- B. diskpart
- C. ioscan
- D. devfsadm

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 69

Which two alerts does Hitachi Dynamic Provisioning issue when DP-Pool capacity usage thresholds are exceeded on a Hitachi Unified Storage system? (Choose two.)

- A. Early Alert
- B. Depletion Alert
- C. Over Provisioning Alert
- D. Exceeding Alert

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 70

What is the correct procedure to replace a suspected SAS interface cable connected to the last

"Pass Any Exam. Any Time." - www.actualtests.com 25 Hitachi HH0-220 Exam
drive box (DBL) of a Hitachi Unified Storage system?

- A. Replace the suspected SAS interface cable by a new one.
- B. Using SNM2, disable the suspected SAS link, replace the cable and enable the SAS link.
- C. Using the WEB tool, disable the suspected SAS link, replace the cable and enable the SAS link.
- D. Slide out the I/O module from the DBL, replace the cable and slide the I/O module back in.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 71

Hitachi Dynamic Link Manager is being used with a Hitachi Unified Storage system in a multi-path environment with intense sequential I/Os. What are two recommended load-balancing algorithms? (Choose two.)

- A. least I/Os
- B. least blocks
- C. extended least I/Os
- D. extended round-robin

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 72

Which three tasks can be performed using the Web tool of a Hitachi Unified Storage system? (Choose three.)

- A. collection of a simple trace
- B. offline firmware installation
- C. identification of failed parts
- D. setting up SNMP error reporting
- E. configuration of additional cache memory

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

"Pass Any Exam. Any Time." - www.actualtests.com 26 Hitachi HH0-220 Exam

QUESTION 73

Yesterday you allocated five new LUNs for a Solaris 9 host. Today the Solaris administrator is concerned about corrupt data because the host system log has several entries referencing the new LUNs with the following message: "Corrupt label; wrong magic number". What do you tell the Solaris administrator?

- A. That they need to configure Device Mapper for the newly allocated LUNs.
- B. That they should shut down the server right away and that you will allocate five new LUNs.
- C. That the message is normal for new LUN allocations and that they just need to label the new partitions.
- D. That the Master Boot Record (MBR) on one of the disks has become corrupt and that rebooting the host should fix the issue.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 74

Which two self-service resources would you use if you require installation assistance? (Choose two.)

- A. Hitachi Data Systems Support Portal
- B. Hitachi Data Systems InfoSearch database
- C. Hitachi Data Systems product documentation
- D. Hitachi Data Systems Installation Service Manager

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 75

Which two Hitachi Dynamic Link Manager documents provide detailed information of supported Fibre Channel HBA drivers? (Choose two.)

- A. Hitachi Engineering Change Notice (ECN)
- B. Hitachi Dynamic Link Manager Release Notes
- C. Hitachi Dynamic Link Manager Concepts and Planning Guide
- D. Hitachi Dynamic Link Manager for Operating Systems User's Guide

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

"Pass Any Exam. Any Time." - www.actualtests.com 27 Hitachi HH0-220 Exam

Explanation:

QUESTION 76

While installing a new Hitachi Unified Storage (HUS) system, your customer wants to manage the array using a fixed Public IP address. How can this be accomplished?

- A. Use the Web Tool on the Public LAN port for each controller to reconfigure the IP address.
- B. Use SNM2 to connect to the Maintenance LAN port on either controller to set the IP address.
- C. Ask the customer to set a static address on the DHCP Server and plug in the Public LAN.
- D. Set the IP address using the LCD displays of each controller on the HUS.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 77

Which two operations can be performed using Storage Navigator Modular 2 on a Hitachi Unified Storage system? (Choose two.)

- A. Create Logical Units.
- B. Set persistent binding.
- C. Run the Initial Setup Wizard.
- D. Display Disk Management properties.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 78

You have replaced a controller on a Hitachi Unified Storage system. Which two methods should be used to confirm that the replacement completed successfully? (Choose two.)

- A. Check the SNMP trap logs.
- B. Check the Alerts & Events window in SNM2.
- C. Check the Alerts & Events window in HCS.
- D. Check the status using the Web tool in Normal Mode.

"Pass Any Exam. Any Time." - www.actualtests.com 28 Hitachi HH0-220 Exam

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 79

Which pair of IP addresses is assigned to the Hitachi Unified Storage system maintenance LAN ports by default?

- A. 10.0.0.16 and 10.0.0.17
- B. 10.1.1.16 and 10.1.1.17
- C. 192.168.0.16 and 192.168.0.17
- D. 192.168.1.16 and 192.168.1.17

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 80

What does the root account on a Hitachi Unified Storage system support by default?

- A. Storage management - view and modify
- B. Security management - view and modify
- C. Account and Storage management - view and modify
- D. Account management - view and modify

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 81

What must be installed on an AIX server prior to Hitachi Dynamic Link Manager Installation?

- A. MPXIO
- B. HACMP
- C. HTnM agent

D. Hitachi ODM

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

"Pass Any Exam. Any Time." - www.actualtests.com 29 Hitachi HH0-220 Exam

Explanation:

QUESTION 82

Which method is used by Hitachi Unified Storage (HUS) systems to protect against loss of data in cache should a total power failure occur?

- A. The battery power de-stages data in cache to an on-board SSD drive.
- B. The HUS uses non-volatile cache so data is always protected.
- C. The battery power de-stages data in cache to on-board Flash memory.
- D. The HUS mirrors all cache writes to on-board SSD drives.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 83

What are the two bitmap locations used by the Memory Management Layer during LU format in Hitachi Unified Storage systems? (Choose two.)

- A. SSD on the Cache Memory Adapter
- B. in the RAID group upon creation
- C. swapped in and out of cache as needed
- D. in Cache Memory Adapter Master Partition 0

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 84

On a Hitachi Unified Storage system, which statement regarding Master Cache Partitions is correct?

- A. They do not exist until the Cache Partition ManagerLicensekey is installed.
- B. There is always a Master Cache Partition 0 in controller 0 and in controller 1.
- C. They always exist if there is 2GB or more of cache memory installed per controller.
- D. They always exist whether or not the Cache Partition ManagerLicensekey is installed.

"Pass Any Exam. Any Time." - www.actualtests.com 30 Hitachi HH0-220 Exam

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 85

Why will a server in an environment using persistent binding maintain a constant view of its target IDs when rebooted?

- A. Because persistent binding retains the target ID information.
- B. Because the LU Management Service will manage the target IDs.
- C. Because the driver software remaps the SCSI target ID to the new WWNNs automatically.
- D. Because persistent binding will connect to the LU Manager and provide the target IDs.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 86

On which level can Host Group Security be enabled on a Hitachi Unified Storage system?

- A. the FC port level
- B. the Host Group level
- C. the iSCSI port level
- D. the individual LU level

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 87

What are two advantages of the Memory Management Layer (MML) in Hitachi Unified Storage systems? (Choose two.)

- A. Metadata for MML-supported functions is copied to cache only when needed for processing.
- B. LU quick and normal format speeds are increased.
- C. The DM-LU size is automatically adjusted depending upon the number of copy pairs.
- D. Copy-on-Write Snapshot and TrueCopy Extended Distance no longer require a data pool for differential data.

"Pass Any Exam. Any Time." - www.actualtests.com 31 Hitachi HH0-220 Exam

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 88

Which performance feature is provided by the Hitachi Unified Storage systems controller architecture?

- A. automatic cache segment resizing
- B. automatic controller load balancing
- C. automatic front-end storage group load balancing
- D. automatic front-end port hardware load balancing

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 89

A customer using a Hitachi Unified Storage system wants to protect their data LUNs from being accidentally unmapped. Which feature should be used?

- A. LUN Security
- B. Mapping Guard
- C. Data Retention Utility
- D. Host Group Security

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 90

A customer has requested your help to find out where a Hitachi Unified Storage (HUS) system's FC port 0A connects into their SAN. How can you find this information?

- A. Use the HUS Web tool to report the switch WWN and port number.
 - B. Use Device Manager to determine where the HUS port is connected to.
 - C. Use the switch name server to find the HUS WWPN.
 - D. Use the SNM2 Advanced Settings to determine the WWPN of the switch port.
- "Pass Any Exam. Any Time." - www.actualtests.com 32 Hitachi HH0-220 Exam

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 91

A customer will be implementing a Hitachi Unified Storage File Module in a switch-less two-node cluster. What needs to be used for the cluster interconnect?

- A. Two10Gbps Ethernet connections with LC connectors
- B. Two10Gbps Ethernet connections with XFP connectors
- C. Two1Gbps Ethernet connections with RJ-45 connectors
- D. Two8Gbps FC connections with LC connectors

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 92

A customer has deployed TrueCopy Extended Distance on their Hitachi Unified Storage systems. They would like to be alerted when their RPO exceeds the business requirement. Which product would you recommend?

- A. Hitachi Replication Manager
- B. Hitachi Command Director

- C. Business Continuity Manager
- D. Hitachi Universal Replicator

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 93

Which feature of the Hitachi Unified Storage model 150 distinguishes it from models 110 and 130?

- A. support for I/O modules
- B. support for 16 FC host ports
- C. support for 32GB of cache
- D. support for 4U density trays

"Pass Any Exam. Any Time." - www.actualtests.com 33 Hitachi HH0-220 Exam

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 94

What are two ways to restrict access to storage through a Fabric? (Choose two.)

- A. Use SNMP
- B. Use zoning
- C. Use Host Group security
- D. Useport security on the switch(es)

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 95

Which two tasks can be performed online on a Hitachi Unified Storage system? (Choose two.)

- A. replacing a SFP FC Host Connector
- B. removing a Drive Box
- C. upgrading a Flash Memory
- D. replacing a Controller Unit

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 96

A customer wants to migrate Hitachi AMS2300 data to a newly acquired Hitachi Unified Storage (HUS) system. Which statement about the migration is correct?

- A. Modular Volume Migration can be used.
- B. TrueCopy or TrueCopy Extended Distance can be used.
- C. The Data Migration license key is required on both sides.
- D. The Data Migration license key is only required on the HUS.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

"Pass Any Exam. Any Time." - www.actualtests.com 34 Hitachi HH0-220 Exam

Explanation:

QUESTION 97

You have to replace a Cache Backup Battery online on a Hitachi Unified Storage system. Which two statements are correct? (Choose two.)

- A. When the power is turned off during the replacement, user data on the cache that has not been written will be backed up to flash memory.
- B. You should not perform any replacement while the green READY LED on the front of the Controller Box is blinking at high speed.
- C. You should only perform the replacement while the green READY LED on the front of the Controller Box is blinking at high speed.
- D. You must complete the replacement within a certain time frame.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 98

You are connecting a Hitachi Unified Storage system to a FC SAN. Which topology setting should you select?

- A. Loop
- B. Fabric
- C. Point-to-Point
- D. Fabric Point-to-Point

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 99

You are using the Change Volume Capacity function of Storage Navigator Modular 2 (SNM2) to manage a Hitachi Unified Storage (HUS) system. Hitachi Dynamic Provisioning is not used. Which two operations can be performed? (Choose two.)

- A. Add additional LUs to an existing LUN.
"Pass Any Exam. Any Time." - www.actualtests.com 35 Hitachi HH0-220 Exam
- B. Release the first LU from a unified LUN.
- C. Grow a LUN by adding free space from any RAID Group.
- D. Shrink a LUN by releasing space back to the RAID Group.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 100

A customer wants to install an Emulex HBA in a Windows 2008 server for connection to a Hitachi Unified Storage system. Where would you determine the validity of this configuration?

- A. Microsoft Web site
- B. HDS Hitachi Unified Storage maintenance manual
- C. HiFire on HDS intranet/extranet
- D. Storage Navigator Modular 2 User's Guide

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 101

Which three parameters must be set when adding a Cache Partition on a Hitachi Unified Storage system? (Choose three.)

- A. Controller
- B. Raid Group
- C. Cache Size
- D. Segment Size
- E. Logical Unit

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 102

What describes the characteristics of external backup solutions supported by the Hitachi Unified Storage System (HUS) File Module option?

"Pass Any Exam. Any Time." - www.actualtests.com 36 Hitachi HH0-220 Exam

- A. The HUS File Module uses file system snapshot technology.
- B. The HUS File Module only backs up to direct attached tape drives.
- C. The HUS File Module relies on the User Datagram Protocol (UDP) with CRC enabled.
- D. The HUS File Module uses Network Data Management Protocol (NDMP).

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 103

What allows firmware to be updated non-disruptively on the Hitachi Unified Storage systems?

- A. Firmware updates are performed in less than the host I/O timeout value.
- B. While one controller is rebooting, the other handles all host operations.
- C. Host connectivity to both controllers established using multi-pathing software.
- D. Firmware updates only affect the first five drives and no controller reboot is required.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 104

A storage administrator would like to connect 10 hosts into the same FC ports of a Hitachi Unified Storage system. They are concerned that one host with high I/Os will impact the other hosts on the same FC ports. Which HBA parameter should be set to limit the number of outstanding I/Os on each host?

- A. queue depth
- B. command length
- C. command depth
- D. queue length

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 105

A customer would like to add the File Module option to their Hitachi Unified Storage (HUS) system to provide files services. Which three types of connectivity are required from the File Module?

"Pass Any Exam. Any Time." - www.actualtests.com 37 Hitachi HH0-220 Exam
(Choose three.)

- A. FC to HUS
- B. IP to SMU
- C. FC to Servers
- D. IP to Servers
- E. FC to SMU

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 106

What are two characteristics of the Hitachi Unified Storage (HUS) controllers? (Choose two.)

- A. Mixing FC and iSCSI front-end ports is allowed on all models.
- B. The FC front-end ports automatically sense 1, 2, 4 and 8 Gbps.
- C. The FC front-end ports offer improved sequential I/O performance.
- D. HUS models 110 and 130 are active/passive.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 107

A customer wants to migrate data from existing modular storage arrays to a newly acquired Hitachi Unified Storage system. To prepare for the storage migration, you have been asked to collect operation data that encompasses multiple storage systems and their attached hosts. Which tool would you use?

- A. auperfmon
- B. raidcom
- C. SE Console
- D. HiPAST

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

"Pass Any Exam. Any Time." - www.actualtests.com 38 Hitachi HH0-220 Exam

QUESTION 108

What are two characteristics of the active/active architecture on the Hitachi Unified Storage (HUS) systems? (Choose two.)

- A. Multiple ports from the same controller are required to support the active/active feature.
- B. Firmware upgrades are non-disruptive even with one path from a host.
- C. Controller workload balancing is managed by the HUS system.
- D. HDLM needs to be used to benefit from the active/active feature.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 109

A customer wants to migrate their data from an existing AMS2500 to a newly acquired Hitachi Unified Storage (HUS) system using TrueCopy Extended Distance (TCE) software. Which set of components is required on the HUS to configure TCE?

- A. Journal Volumes and a TCE license
- B. an HDP license and 50% more cache capacity
- C. an HDP License and a TCE license
- D. a Cache Memory adapter and a TCE license

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

"Pass Any Exam. Any Time." - www.actualtests.com 39



<http://www.gratisexam.com/>