

## MICROSOFT MB2-876 EXAM QUESTIONS & ANSWERS

Number: MB2-876  
Passing Score: 800  
Time Limit: 120 min  
File Version: 42.2



<http://www.gratisexam.com/>



## MICROSOFT MB2-876 EXAM QUESTIONS & ANSWERS

**Exam Name:** Extending Microsoft Dynamics CRM 2011

## Certkey

### QUESTION 1

You work as a software developer. You have been hired by a company named XYZ.com to create an application. The company runs Microsoft Dynamics CRM 2011.

You plan to use the IOrganizationService Web service to create the application in Microsoft Visual Studio 2010.

You need to ensure you can use the IOrganizationService Web service and access the non-core xRM messages.

Which two of the following steps should you perform to configure your Microsoft Visual Studio project to meet the requirements? (Choose two).

- A. You should add a reference to the Microsoft.Xrm.Sdk.dll assembly to the project.
- B. You should add a reference to the Microsoft.Crm.SdkTypeProxy.XmlSerializers.dll assembly to the project.
- C. You should add a reference to the Microsoft.Crm.Outlook.Sdk.dll assembly to the project.
- D. You should add a reference to the Microsoft.Crm.Sdk.Proxy.dll assembly to the project.

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

### QUESTION 2

You work for a company named XYZ.com. You are currently modifying the Account entity in the company's Microsoft Dynamics CRM 2011 system.

You need to modify the Id property of the parent account ID.

Which of the following values should you enter to configure the Id property as Null?

- A. Guid.NewGuid
- B. Null.
- C. Guid.empty.
- D. An empty string.
- E. 0

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

### QUESTION 3

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are using CrmSvcUtil to create an early-bound entity class to access business data in the Microsoft Dynamics CRM 2011 system.

Which two the following statements describe early-bound entity classes?

- A. You cannot use early-bound classes without the organization service context.

- B. The compiled executable contains the code necessary to invoke the types' properties, methods, and events.
- C. The type references of the class are checked when the class is compiled.
- D. The type references of the class are checked every time the class is run.

**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 4**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a late-bound entity class to access business data in the Microsoft Dynamics CRM 2011 system.

Which two the following statements describe late-bound entity classes?

- A. The type references of the class are checked only when the object is created or an action is performed on the type.
- B. The type references of the class are checked when the class is compiled.
- C. Enables you to work with types such as custom entities and custom attributes that were not available when the application was compiled.
- D. Requires the developer to reference the libraries that contain the object at compile time.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 5**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a custom solution for the Microsoft Dynamics CRM 2011 system. You use Microsoft Visual Studio 2010 to create a Microsoft Silverlight 4.0 application. The application uses the Representational state transfer (REST) endpoint and is hosted in a web resource in the custom solution.

You want to reconfigure the application to run without a web browser.

How should you modify the application?

- A. You should configure the application to access data using the Simple Object Access Protocol (SOAP) endpoint.
- B. You should configure the application to access data using code written in JScript.
- C. You should rewrite the code using synchronous methods.
- D. You should remove procedures that use the EXECUTE method from the application.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 6**

You have been hired as a developer by a company named XYZ.com to extend their Microsoft Dynamics CRM 2011 system.

You are creating a custom entity. You create several image web resources to use in the custom entity.

Apart from the ribbon, where else in Microsoft Dynamics CRM 2011 can you use image web resources? (Choose all that apply)

- A. In application ribbons.
- B. In entity forms.
- C. In .ASPX pages.
- D. In a site map subarea.

**Correct Answer:** ABD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 7**

You have been hired as a developer by a company named XYZ.com to extend their Microsoft Dynamics CRM 2011 system.

You are creating a custom entity. You want to create some image web resources to use in the custom entity.



<http://www.gratisexam.com/>

Which four of the following image file types does Microsoft Dynamics CRM 2011 support in image web resources? (Choose four).

- A. JPC
- B. TIFF
- C. PNG
- D. ICO
- E. BMP
- F. GIF

**Correct Answer:** ACDF

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 8**

You have been hired as a developer by a company named XYZ.com to extend their Microsoft Dynamics CRM

2011 system.

You are creating a custom entity. You want to create a data web resource to use in the custom entity.

Which of the following statements is true?

- A. A data web resource must use the .xls file extension.
- B. A data web resource must use the .xml file extension.
- C. A data web resource must use the .cer file extension.
- D. A data web resource must use the .dat file extension.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 9**

You have been hired as a developer by a company named XYZ.com to extend their Microsoft Dynamics CRM 2011 system.

You are creating a custom entity. You are creating an HTML web resource to use with the custom entity.

Which two of the following are limitations of HTML web resources? (Choose two).

- A. An HTML web resource can only accept one custom query string parameter called "data".
- B. An HTML web resource can accept only the type, ID and orgname parameters
- C. An HTML web resource cannot contain any code that must be executed on the server.
- D. HTML web resources do not support the userlcid or orglcid parameters.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 10**

Your role at XYZ.com includes the management of their Microsoft Dynamics CRM 2011 systems. The company uses both the online and on-premise versions of Microsoft Dynamics CRM 2011.

You are using the Microsoft Dynamics CRM SDK to create custom workflow activities (workflow assemblies) to extend workflow in Microsoft Dynamics CRM 2011.

Where can you deploy the custom workflow activities?

- A. To the on-premise Microsoft Dynamics CRM 2011 system only.
- B. To both the on-premise and online Microsoft Dynamics CRM 2011 systems.
- C. To a sandbox in the on-premise Microsoft Dynamics CRM 2011 system only.
- D. To a sandbox in both the on-premise and online Microsoft Dynamics CRM 2011 systems.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 11**

You work as a network administrator at XYZ.com.

A Windows Server 2008 server runs Microsoft Dynamics CRM 4.0. The server has version 3.0 of the Microsoft .NET Framework installed. The Microsoft Dynamics CRM 4.0 system has custom workflows created in Microsoft .NET Framework 3.0.

You want to upgrade the Microsoft Dynamics CRM 4.0 system to Microsoft Dynamics CRM 2011. You need to ensure that the custom workflows continue to work after the upgrade.

How should you configure Microsoft .NET Framework on the server?

- A. You should keep the .NET Framework 3.0 installation and not upgrade it.
- B. You should upgrade to .NET Framework 3.5.
- C. You should upgrade to .NET Framework 4.0.
- D. You should keep the NET Framework 3.0 installation and install .NET Framework 3.5.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 12**

Your role at XYZ.com includes the management of their Microsoft Dynamics CRM 2011 systems. The company uses both the online and on-premise versions of Microsoft Dynamics CRM 2011.

You are using the Microsoft Dynamics CRM SDK to create custom workflow activities (workflow assemblies) to extend workflow in Microsoft Dynamics CRM 2011.

You are creating an assembly that contains a class derived from a Windows Workflow Foundation class.

Which .NET class should your assembly inherit from?

- A. The LowlevelActivity class.
- B. The ParallelActivity activity.
- C. The CodeActivity class.
- D. The CompositeActivity class.
- E. The WhileActivity class.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 13**

Your role at XYZ.com includes the management of their Microsoft Dynamics CRM 2011 systems. The company uses both the online and on-premise versions of Microsoft Dynamics CRM 2011.

You are using the Microsoft Visual Studio workflow designer to create a custom XAML workflow.

Which three of the following statements are true? (Choose three)

- A. In Microsoft Dynamics CRM 2011, support for custom XAML workflows is disabled by default.
- B. You must use Microsoft Visual Studio 2010 to develop custom XAML workflows for Microsoft Dynamics CRM.
- C. When a custom XAML workflow is triggered, it will run synchronously.
- D. Importing custom XAML workflows into Microsoft Dynamics CRM 2011 requires the deployment administrator privilege.

**Correct Answer:** ABD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 14**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a custom solution for the Microsoft Dynamics CRM 2011 system. You have created a Microsoft Silverlight 4.0 web resource to access Microsoft Dynamics CRM 2011 data from the application. The web resource uses the Representational state transfer (REST) endpoint web service in Microsoft Dynamics CRM 2011.

REST endpoints provide which of the following tasks? (Choose three).

- A. Create and Delete records.
- B. Retrieve and Update records.
- C. Execute records.
- D. Associate records and Disassociate records.
- E. Create Metadata.
- F. Retrieve Metadata.

**Correct Answer:** ABD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 15**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a custom solution for the Microsoft Dynamics CRM 2011 system. You have created a Microsoft Silverlight 4.0 web resource to access Microsoft Dynamics CRM 2011 data from the application. The web resource uses the Simple Object Access Protocol (SOAP) endpoint web service in Microsoft Dynamics CRM 2011.

SOAP endpoints provide which of the following tasks? (Choose three).

- A. Retrieve Metadata.
- B. Retrieve and Update records.
- C. Assign Records.
- D. Execute Messages.

- E. Associate and Disassociate records.
- F. Create and Delete records.

**Correct Answer:** ACD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 16**

You work as a project manager at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You need to create a custom report to retrieve data from Microsoft Dynamics CRM 2011. You are using the Report Wizard in Microsoft Dynamics CRM 2011 to create the custom report.

What type of query will your custom report use to retrieve data for the report?

- A. An HTML GET query.
- B. A FetchXML query.
- C. A SQL query.
- D. An LDAP query.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 17**

You work as a project manager at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You have created some records for a new project in an entity in Microsoft Dynamics CRM 2011. You are the owner of the records.

You need to configure privileges to enable another user to access the records while keeping your own access.

Which of the following entity-based privileges should you configure?

- A. You should configure the Share privilege.
- B. You should configure the Full privilege.
- C. You should configure the total Assign privilege.
- D. You should configure the Read privilege.
- E. You should configure the Write privilege.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 18**



You work as a project manager at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You have created some records for a new project in an entity in Microsoft Dynamics CRM 2011. You are the owner of the records.

You need to configure privileges to assign a different parent to the records.

Which of the following entity-based privileges should you configure?

- A. You should configure the Share privilege.
- B. You should configure the Reparent privilege.
- C. You should configure the Assign privilege.
- D. You should configure the Read privilege.
- E. You should configure the Write privilege.

**Correct Answer: B**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 19**

You work as a project manager at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You have created some records for a new project in an entity in Microsoft Dynamics CRM 2011. You are the owner of the records.

You need to configure privileges to transfer record ownership to another user.

Which of the following entity-based privileges should you configure?

- A. You should configure the Share privilege.
- B. You should configure the Reparent privilege.
- C. You should configure the Assign privilege.
- D. You should configure the Read privilege.
- E. You should configure the Write privilege.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 20**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating an application to extend the functionality of the Microsoft Dynamics CRM 2011 system. The application will access data in the Microsoft Dynamics CRM 2011 system.

Which two of the following enable you to access data in Microsoft Dynamics CRM 2011 using JScript and Silverlight Web resources? (Choose two).

- A. SOAP.
- B. XML.
- C. REST.
- D. SSL.
- E. SSH.
- F. HTTPS.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 21**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You want to set default values for new records created by users by specifying attribute values in the URL that is used to open the form.

How can you include arguments to set the field values?

- A. By using the etn query string parameter.
- B. By using the myextraparameter query string parameter.
- C. By using the pagetype query string parameter.
- D. By using the extraqs query string parameter.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 22**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a custom solution for the Microsoft Dynamics CRM 2011 system. You have created a JScript web resource to access Microsoft Dynamics CRM 2011 data from the application. The web resource uses the Representational state transfer (REST) endpoint web

service in Microsoft Dynamics CRM 2011 to access the data.

In what format will the data be returned?

- A. HTML or XML
- B. CSV or MDB
- C. ATOM or JSON
- D. CSV or TSV

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 23**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a custom entity form using the Form Editor.

Which two of the following application events are form-level application events? (Choose two)

- A. OnReadyStateComplete
- B. Onload
- C. OnChange
- D. Onsave
- E. TabStateChange

**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 24**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a custom entity form using the Form Editor. You are configuring fields in the form.

Which of the following application events is a field-level application event?

- A. OnReadyStateComplete
- B. Onload
- C. OnChange
- D. Onsave
- E. TabStateChange

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 25**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating an application for the Microsoft Dynamics CRM 2011 system. You have created plug-ins for the application.

You are running the application and plug-ins in a sandbox for performance testing.

How can you record execution statistics for plug-ins?

- A. By referencing the PluginSession entity.

- B. By referencing the ProcessInfo.
- C. By referencing the SessionStat entity.
- D. By referencing the PluginTypeStatistic entity.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 26**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are using Microsoft Dynamics CRM 2011 to create business processes. You need to decide which types of process to create.

Which two of the following statements are true? (Choose two)

- A. Workflows are asynchronous processes and do not require user input to run to completion.
- B. Workflows must be started by a user.
- C. Dialogs are synchronous processes and require user input to run to completion.
- D. Dialogs can be either started by a user or can be automated.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 27**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are using Microsoft Dynamics CRM 2011 to create business processes. You need to decide which types of process to create.

Which two of the following statements are true? (Choose two)

- A. Microsoft Dynamics CRM 2011 workflows support both Windows Workflow Foundation 4 and Windows Workflow Foundation 3.5 custom activities.
- B. Microsoft Dynamics CRM 2011 dialogs support only Windows Workflow Foundation 4 custom activities.
- C. Triggers are supported for dialogs.
- D. Triggers are not supported for workflows.

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 28**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its

customer relationship management software.

You are using the code generation tool (CrmSvcUtil) to create early-bound entity classes to access business data in the Microsoft Dynamics CRM 2011 system.

Which three of the following statements are true? (Choose three)

- A. New attributes cannot be added to early-bound entity classes.
- B. All type references in an early-bound entity class are checked at run time
- C. The application must be compiled before an early-bound entity class is available.
- D. It is no longer necessary to use the ReturnDynamicsEntities property to access the attributes and values of early-bound entity classes.

**Correct Answer:** ACD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 29**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The Microsoft Dynamics CRM event processing subsystem executes plug-ins based on a message pipeline execution model.

Plug-ins registered during which two of the event pipeline stages are executed within the database transaction (Choose two).

- A. Pre-validation, stage number 10.
- B. Pre-operation, stage number 20.
- C. MainOperation, stage number 30.
- D. Post-operation, stage number 40.
- E. Post-operation (Deprecated), stage number 50.

**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 30**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The Microsoft Dynamics CRM event processing subsystem executes plug-ins based on a message pipeline execution model.

Which of the following pipeline stages only supports Microsoft Dynamics CRM 4.0 based plug-ins?

- A. Pre-validation, stage number 10.
- B. Pre-operation, stage number 20.
- C. MainOperation, stage number 30.
- D. Post-operation, stage number 40.

E. Post-operation (Deprecated), stage number 50.

**Correct Answer:** E

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

### QUESTION 31

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The Microsoft Dynamics CRM event processing subsystem executes plug-ins based on a message pipeline execution model.

No custom plug-ins can be registered during which of the following event pipeline stages

- A. Pre-validation, stage number 10.
- B. Pre-operation, stage number 20.
- C. MainOperation, stage number 30.
- D. Post-operation, stage number 40.
- E. Post-operation (Deprecated), stage number 50.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

### QUESTION 32

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You need to customize an entity form in Microsoft Dynamics CRM 2011. You want to modify the XML data that defines a form.

Which Microsoft Dynamics CRM 2011 element should you modify?

- A. You should modify the EntityMetadata.CanCreateForms value.
- B. You should modify the Form entity.
- C. You should modify the FormXML file.
- D. You should modify the CopySystemFormRequest entity.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

### QUESTION 33

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are customizing an entity in the Microsoft Dynamics CRM 2011 system. You have exported the SiteMap to

an unmanaged solution. You want to add a custom entity to the SiteMap.

Which two of the following steps should you perform? (Choose two)

- A. You should import the SiteMap as a managed solution.
- B. You should modify the SiteMap XML by adding a new <Entity> element for the entity.
- C. You should export the SiteMap as a managed solution.
- D. You should modify the SiteMap XML by adding a new <Area> element for the entity.
- E. You should import the SiteMap as an unmanaged solution.

**Correct Answer:** DE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 34**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a custom entity form using the Form Editor. Your custom form includes an IFrame.

Which application event can be used in form scripting to detect when the content of the IFRAME has finished loading?

- A. OnReadyStateComplete
- B. Onload
- C. OnChange
- D. Onsave
- E. TabStateChange

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 35**

You work as a software developer at XYZ.com. The company uses Microsoft Dynamics CRM 2011 Online for its customer relationship management software.

You have developed a custom solution. The code in your solution uses the `Xrm.Page.context.getServerURL()` method.

Which two of the following statements about the results of the `Xrm.Page.context.getServerURL()` method are true? (Choose two)

- A. The URL returned contains a trailing forward slash which could prevent the ribbon from displaying.
- B. The format of the returned URL is the same whether the user is connected to on-premises Microsoft Dynamics CRM 2011, Microsoft Dynamics CRM Online.
- C. The URL returned is the standard URL used to access the application.
- D. Arguments cannot be included in the query string of the URL returned.

**Correct Answer:** AC

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 36**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a late-bound entity class to access business data in the Microsoft Dynamics CRM 2011 system.

Which two the following statements describe late-bound entity classes?

- A. The developer is not required to reference the libraries that contain the object at compile time
- B. New attributes can be added to a late-bound entity class.
- C. You can access attributes in a late-bound entity class and be type-safe.
- D. The type references of the class are checked when the class is compiled.

**Correct Answer: AB**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 37**

You work as a software developer. You have been hired by a company named XYZ.com to create develop an application for their Microsoft Dynamics CRM 2011 system.

Your code will include .NET Language-Integrated Query (LINQ) queries.



<http://www.gratisexam.com/>

Which four of the following are common clauses in a LINQ query expression when using the Microsoft Dynamics CRM LINQ query provider? (Choose four).

- A. Last
- B. Where
- C. Select
- D. Join
- E. Aggregate
- F. OrderBy

**Correct Answer: BCDF**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:



**QUESTION 38**

You work as a software developer. You have been hired by a company named XYZ.com to create develop an application for their Microsoft Dynamics CRM 2011 system.

You will use Microsoft Visual Studio 2010 to create the application.

You need to add an assembly reference to your Microsoft Visual Studio project be able to read and write data and metadata using the IOrganizationService Web Service.

Which assembly should you refer to?

- A. The Microsoft.Crm.Platform.Callout.Base.dll assembly.
- B. The Microsoft.Xrm.Sdk.Deployment.dll assembly.
- C. The Microsoft.Xrm.Sdk.Workflow.dll assembly
- D. The Microsoft.Xrm.Sdk.dll assembly.

**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 39**

You work as a software developer. You have been hired by a company named XYZ.com to create develop an application for their Microsoft Dynamics CRM 2011 system.

You will use Microsoft Visual Studio 2010 to create the application.

You have added a reference to Microsoft.Xrm.Sdk.dll assembly to your Microsoft Visual Studio project to enable you to use the IOrganizationService Web Service.

You also want to access the non-core xRM messages.

Which additional assembly reference should you add to your Microsoft Visual Studio project?

- A. You should add a reference to the Microsoft.Xrm.Sdk.Workflow.dll assembly.
- B. You should add a reference to the Microsoft.Crm.Sdk.Proxy.dll assembly.
- C. You should add a reference to the Microsoft.Crm.SdkTypeProxy.dll assembly.
- D. You should add a reference to the Microsoft.Crm.Platform.Callout.Base.dll assembly.

**Correct Answer: B**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 40**

You work as a software developer. You have been hired by a company named XYZ.com to create develop an application for their Microsoft Dynamics CRM 2011 system.

Your application will use methods in the context object to retrieve information from Microsoft Dynamics CRM 2011 system.

Which of the following methods of the context object returns the unique text value of the organizations name?

- A. getOrgLcid
- B. prependOrgName
- C. getOrgUniqueName
- D. getServerUrl
- E. getQueryStringParameters
- F. getUserRoles

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 41**

You work as a software developer. You have been hired by a company named XYZ.com to create develop an application for their Microsoft Dynamics CRM 2011 system.

Your application will use methods in the context object to retrieve information from Microsoft Dynamics CRM 2011 system.

Which of the following methods of the context object returns an array of strings representing the GUID values of each of the security roles that the user is associated with?

- A. getOrgLcid
- B. prependOrgName
- C. getOrgUniqueName
- D. getServerUrl
- E. getQueryStringParameters
- F. getUserRoles

**Correct Answer:** F

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 42**

You work as a software developer. You have been hired by a company named XYZ.com to create develop an application for their Microsoft Dynamics CRM 2011 system.

Your application will use methods in the context object to retrieve information from Microsoft Dynamics CRM 2011 system.

Which of the following describes the getUserLcid method?

- A. Returns GUID value of the SystemUser.Id value for the current user.
- B. Returns the LCID value that represents the Microsoft Dynamics CRM Language Pack that is the user selected as their preferred language.
- C. Returns an array of key value pairs representing the query string arguments that were passed to the page.
- D. Returns a string representing the current Microsoft Office Outlook theme chosen by the user.

**Correct Answer:** B

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 43**

You work as a software developer. You have been hired by a company named XYZ.com to create develop an application for their Microsoft Dynamics CRM 2011 system.

You are using the Xrm.Page.ui methods in your JScript code.

You need to ensure that when the current form is closed, the user will be prompted whether they want to any changes before the window closes.

How should you close the form?

- A. By using the Xrm.Page.ui.close(); method.
- B. By using the Xrm.Page.ui.getCurrentControl.close(); method
- C. By using the CurrentWindow.close(); method.
- D. By using the OpenedWindow.close(); method.
- E. By using the Xrm.Page.ui.end(); method.

**Correct Answer: A**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 44**

You work as a software developer. You have been hired by a company named XYZ.com to create develop an application for their Microsoft Dynamics CRM 2011 system.

You are using the Xrm.Page.data.entity methods in your JScript code.

You want to use an Xrm.Page.data.entity method to save and close the current form.

Which of the following methods and parameters should you use with Xrm.Page.data.entity?

- A. save(true);
- B. save();
- C. save("saveandclose");
- D. save("saveandnew");

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 45**

You work as a software developer. You have been hired by a company named XYZ.com to create develop an application for their Microsoft Dynamics CRM 2011 system.

You are using the `Xrm.Page.ui.getFormType()` method in your JScript code to determine the form context for a record.

Which form type corresponds to a return value of 3 for the `Xrm.Page.ui.getFormType()` method?

- A. Create
- B. Update
- C. Read-only
- D. Disabled.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 46**

Your role at XYZ.com includes the management of their Microsoft Dynamics CRM 2011 system.

You have installed Update Rollup 5 on the Microsoft Dynamics CRM 2011 system.

The installation of Update Rollup 5 has added some Response Type options for use in Dialog Processes.

Which three of the following response types are new to Microsoft Dynamics CRM 2011 with Update Rollup 5? (Choose three).

- A. Multiple lines (text only)
- B. Single Line.
- C. Option Set (picklist)
- D. None.
- E. Date and Time
- F. Option Set (radio buttons)
- G. Date Only
- H. Lookup

**Correct Answer: EGH**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 47**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The Microsoft Dynamics CRM 2011 system runs a custom plug-in. You need to debug the plug-in. The registration configuration of the plug-in is "online".

You need to attach the debugger to the process on the Microsoft Dynamics CRM server that runs the plug-in.

Which service process should you attach the debugger to?

- A. You should attach the debugger to the `w3wp.exe` process.
- B. You should attach the debugger to the `Microsoft.Crm.Application.Host.exe` process.

- C. You should attach the debugger to the CrmAsyncService.exe process.
- D. You should attach the debugger to the Microsoft.Crm.Sandbox.WorkerProcess.exe process.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 48**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The Microsoft Dynamics CRM 2011 system runs a custom plug-in. You need to debug the plug-in. The registration configuration of the plug-in is "offline".

You need to attach the debugger to the process on the Microsoft Dynamics CRM server that runs the plug-in.

Which service process should you attach the debugger to?

- A. You should attach the debugger to the w3wp.exe process.
- B. You should attach the debugger to the Microsoft.Crm.Application.Host.exe process.
- C. You should attach the debugger to the CrmAsyncService.exe process.
- D. You should attach the debugger to the Microsoft.Crm.Sandbox.WorkerProcess.exe process.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 49**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The Microsoft Dynamics CRM 2011 system runs a custom plug-in. You need to debug the plug-in. The registration configuration of the plug-in is "asynchronous registered plug-in".

You need to attach the debugger to the process on the Microsoft Dynamics CRM server that runs the plug-in.

Which service process should you attach the debugger to?

- A. You should attach the debugger to the w3wp.exe process.
- B. You should attach the debugger to the Microsoft.Crm.Application.Host.exe process.
- C. You should attach the debugger to the CrmAsyncService.exe process.
- D. You should attach the debugger to the Microsoft.Crm.Sandbox.WorkerProcess.exe process.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 50**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The Microsoft Dynamics CRM 2011 system runs a custom plug-in. You need to debug the plug-in. The registration configuration of the plug-in is "sandbox (isolation mode)".

You need to attach the debugger to the process on the Microsoft Dynamics CRM server that runs the plug-in.

Which service process should you attach the debugger to?

- A. You should attach the debugger to the w3wp.exe process.
- B. You should attach the debugger to the Microsoft.Crm.Application.Hosted.exe process.
- C. You should attach the debugger to the CrmAsyncService.exe process.
- D. You should attach the debugger to the Microsoft.Crm.Sandbox.WorkerProcess.exe process.

**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 51**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The Microsoft Dynamics CRM 2011 system runs a custom plug-in. You need to debug the plug-in. The plug-in contains a custom workflow.

You need to attach the debugger to the process on the Microsoft Dynamics CRM server that runs the plug-in.

Which service process should you attach the debugger to?

- A. You should attach the debugger to the w3wp.exe process.
- B. You should attach the debugger to the Microsoft.Crm.Application.Hosted.exe process.
- C. You should attach the debugger to the CrmAsyncService.exe process.
- D. You should attach the debugger to the Microsoft.Crm.Sandbox.WorkerProcess.exe process.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 52**

You have been hired by a company named XYZ.com to install and configure a Microsoft Dynamics CRM 2011 system. The company has a single Active Directory Domain Services (AD DS) domain.

The Microsoft Dynamics CRM 2011 system will be accessed by internal domain users, external (non-domain member) users and users from a partner company. There is no domain trust relationship between the XYZ.com domain and the partner company network.

You need to plan the authentication method to use for the Microsoft Dynamics CRM 2011 system.

Which authentication method should you use to authenticate the internal users, external users and partner company users?

- A. You should use Claims-based authentication.
- B. You should use Windows authentication.
- C. You should use Forms-based authentication.
- D. You should use OpenID authentication.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 53**

You have been hired by a company named XYZ.com to install and configure a Microsoft Dynamics CRM 2011 system. The company has a single Active Directory Domain Services (AD DS) domain.

The Microsoft Dynamics CRM 2011 system will be accessed by internal domain users only.

You need to plan the authentication method to use for the Microsoft Dynamics CRM 2011 system.

Which authentication method should you use to authenticate the internal users?

- A. You should use Claims-based authentication.
- B. You should use Windows authentication.
- C. You should use Forms-based authentication.
- D. You should use OpenID authentication.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 54**

You have been hired by a company named XYZ.com to install and configure a Microsoft Dynamics CRM 2011 system. The company has a single Active Directory Domain Services (AD DS) domain.

The Microsoft Dynamics CRM 2011 system will be accessed by internal domain users, external (non-domain member) users and users from a partner company. There is no domain trust relationship between the XYZ.com domain and the partner company network.

You need to configure the environment for Claims-based authentication.

Which of the following services are required for Claims-based authentication?

- A. Lightweight Directory Access Protocol.
- B. Active Directory Rights Management Services.
- C. Active Directory Federation Services.
- D. Routing and Remote Access Services.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 55**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

When you develop an application that uses the Microsoft Dynamics CRM server, what will the application use to communicate with the underlying xRM platform layer?

- A. The Data Access Platform.
- B. Open Database Connectivity (ODBC).
- C. Business Entity Components.
- D. Web Services.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 56**

Your role at XYZ.com includes the management of their Microsoft Dynamics CRM 2011 systems. The company uses both the online and on-premise versions of Microsoft Dynamics CRM 2011.

A software developer has created a custom plug-in for the Microsoft Dynamics CRM 2011 system. You need to deploy the plug-in.

Which two of the following are options for deploying plug-ins? (Choose two).

- A. Deployment to Microsoft Dynamics CRM 2011 On-Premises Servers.
- B. Deployment to Microsoft Dynamics CRM 2011 Online.
- C. Deployment to Microsoft Dynamics Clients for Office.
- D. Deployment to Microsoft Dynamics Portals.

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 57**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You have created a plug-in for the Microsoft Dynamics CRM 2011 system. You need to ensure the plug-in executes before the main system operation of creating records and within the database transaction.

During which stage in the event pipeline should the plug-in be registered?

- A. Pre-validation, stage number 10.
- B. Pre-operation, stage number 20.
- C. MainOperation, stage number 30.
- D. Post-operation, stage number 40.



E. Post-operation (Deprecated), stage number 50.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 58**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You have created a plug-in for the Microsoft Dynamics CRM 2011 system. You need to ensure the plug-in executes after new records are created and within the database transaction.

During which stage in the event pipeline should the plug-in be registered?

- A. Pre-validation, stage number 10.
- B. Pre-operation, stage number 20.
- C. MainOperation, stage number 30.
- D. Post-operation, stage number 40.
- E. Post-operation (Deprecated), stage number 50.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 59**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You have created a plug-in for the Microsoft Dynamics CRM 2011 system. You need to ensure the plug-in executes before the main system operation and prior to security checks being performed.

During which stage in the event pipeline should the plug-in be registered?

- A. Pre-validation, stage number 10.
- B. Pre-operation, stage number 20.
- C. MainOperation, stage number 30.
- D. Post-operation, stage number 40.
- E. Post-operation (Deprecated), stage number 50.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 60**

You have been hired by a company named XYZ.com to install and configure a Microsoft Dynamics CRM 2011 system.

You have installed a default installation Microsoft Dynamics CRM 2011 system. You have not made any changes to the document management configuration of the entities within Microsoft Dynamics CRM 2011.

Which three of the following entities have document management enabled? (Choose three)

- A. Service
- B. Lead
- C. Invoice
- D. Opportunity
- E. Product
- F. Contract

**Correct Answer:** BDE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 61**

You have been hired by a company named XYZ.com to install and configure a Microsoft Dynamics CRM 2011 system.

You have installed a default installation Microsoft Dynamics CRM 2011 system. You have not made any changes to the document management configuration of the entities within Microsoft Dynamics CRM 2011.

Which two of the following entities have document management enabled? (Choose two)

- A. KbArticle
- B. Service
- C. Quote
- D. Invoice
- E. Goal

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 62**

You have been hired by a company named XYZ.com to install and configure a Microsoft Dynamics CRM 2011 system.

You have installed a default installation Microsoft Dynamics CRM 2011 system. You have not made any changes to the document management configuration of the entities within Microsoft Dynamics CRM 2011.

Which two of the following entities have document management enabled? (Choose two)

- A. Article
- B. Service Calendar
- C. Competitors
- D. Account

E. Sales Literature

**Correct Answer:** DE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 63**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating an application for the Microsoft Dynamics CRM 2011 system.

You need to modify the site map XML to include an area named Sales. You add an <Area> element to the XML. However, the Sales area does not appear in the navigation pane.

How can you ensure that the navigation pane displays the Sales area?

- A. By adding a <Title> element to the sitemap XML for the Sales area.
- B. By adding a <SubArea> element to the sitemap XML for the Sales area.
- C. By adding a <Description> element to the sitemap XML for the Sales area.
- D. By adding a <ResourceID> element to the sitemap XML for the Sales area.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 64**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating an application for the Microsoft Dynamics CRM 2011 system.

You are modifying the site map XML. You have added an area named Sales. You plan to create two groups within the Sales area. The groups will be named Internal and External.

Which two of the following XML elements should you configure to create the groups and ensure that the group names are displayed in the navigation pane? (Choose two).

- A. Add an <Area> element for each group.
- B. Add a <SubArea> element for each group.
- C. Add a <Group> element for each group.
- D. Add a <Name> element for each group.
- E. Add a <Title> element for each group.
- F. Add an <ID> element for each group.

**Correct Answer:** CE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 65

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating an application for the Microsoft Dynamics CRM 2011 system.

You are modifying the site map XML. You have added an area named Sales and you have created two groups named Internal and External in the Sales area.

You need to create links within the Internal and External groups for each of the internal and external sales users. Each link when clicked should display content about the respective sales user in the right-hand pane.

How should you modify the XML to display the links?

- A. By adding an <Area> and <Name> element for each user.
- B. By adding an <Area> and <Title> element for each user.
- C. By adding an <Area> and <ID> element for each user.
- D. By adding an <SubArea> and <Name> element for each user.
- E. By adding an <SubArea> and <Title> element for each user.
- F. By adding an <SubArea> and <ID> element for each user.

**Correct Answer:** E

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 66

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You use Microsoft Visual Studio 2010 to create applications for Microsoft Dynamics CRM 2011 using the IOrganizationService Web service.



<http://www.gratisexam.com/>

Which two of the following statements describe the IOrganizationService Web service? (Choose two).

- A. The IOrganizationService Web service is the primary Web service accessing data and metadata for your organization.
- B. The IOrganizationService Web service is used to view entities and their properties.
- C. The IOrganizationService Web service provides a set of methods used to perform the most common operations on entities and data.
- D. The IOrganizationService Web service is used to generate a data context class as well as data transfer objects (DTOs) for all Microsoft Dynamics CRM entities.

**Correct Answer:** AC

**Section:** (none)

## **Explanation**

### **Explanation/Reference:**

Explanation:

### **QUESTION 67**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You use Microsoft Visual Studio 2010 to create applications for Microsoft Dynamics CRM 2011. An application uses the IDiscoveryService Web service.

Which two of the following statements describe the IDiscoveryService Web service? (Choose two).

- A. The IDiscoveryService Web service is used to determine the organizations that a user is a member of.
- B. The IDiscoveryService Web service provides a way to discover which Microsoft Dynamics CRM server is serving your organization at a given time.
- C. The IDiscoveryService Web service is the primary Web service accessing data and metadata for your organization.
- D. The IDiscoveryService Web service gives you access to the Microsoft Dynamics CRM LINQ provider.

**Correct Answer:** AB

**Section:** (none)

**Explanation**

### **Explanation/Reference:**

Explanation:

### **QUESTION 68**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You use Microsoft Visual Studio 2010 to create applications for Microsoft Dynamics CRM 2011.

Which two of the following data types are provided by Microsoft Dynamics CRM 2011? (Choose two).

- A. CrmDecimal
- B. OptionSetValue
- C. CrmFloat
- D. Bool
- E. CrmBoolean

**Correct Answer:** BD

**Section:** (none)

**Explanation**

### **Explanation/Reference:**

Explanation:

### **QUESTION 69**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You use Microsoft Visual Studio 2010 to create applications for Microsoft Dynamics CRM 2011.

Which two of the following data types are provided by Microsoft Dynamics CRM 2011? (Choose two).

- A. EntityReference
- B. Customer
- C. Decimal
- D. Lookup
- E. Picklist

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 70**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are using Microsoft Visual Studio 2010 to create an application for the Microsoft Dynamics CRM 2011 system.

A Sales user named Mia has been assigned to a number of XYZ.com customers.

You need to list all the customer accounts that Mia has been assigned to.

Which of the following classes should you use?

- A. RetrieveAllManagedPropertiesRequest
- B. RetrieveRequest
- C. RetrieveMultipleRequest
- D. GetList

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 71**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are using Microsoft Visual Studio 2010 to create an application for the Microsoft Dynamics CRM 2011 system.

Which class contains the data that is needed to retrieve metadata information about all the entities?

- A. RetrieveAllEntitiesRequest
- B. RetrieveAll
- C. RetrieveMultipleRequest
- D. RetrieveAttributeRequest

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 72**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are using Microsoft Visual Studio 2010 to create an application for the Microsoft Dynamics CRM 2011 system.

Which class contains the data that is needed to retrieve entity relationship metadata?

- A. RetrieveAllManagedPropertiesRequest
- B. RetrieveRelationshipRequest
- C. RetrieveMultipleRequest
- D. RetrieveAttributeRequest

**Correct Answer: B**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 73**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are using Microsoft Visual Studio 2010 to create an application for the Microsoft Dynamics CRM 2011 system.

Which of the classes contains the data that is needed to update an option value in a global or local option set?

- A. UpdateEntityRequest
- B. UpdateOptionSetRequest
- C. UpdateOptionValueRequest
- D. UpdateRequest

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 74**

You have been hired as a developer by a company named XYZ.com to extend their Microsoft Dynamics CRM 2011 system.

You are creating a custom entity. You want to create a style sheet web resource to use in the custom entity.

Which of the following statements is true?

- A. A style sheet web resource must use the .htm or .html file extension.
- B. A style sheet web resource must use the .xml file extension.
- C. A style sheet web resource must use the .xsl or .xslt file extension.

D. A style sheet web resource must use the .dat file extension.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 75**

You have been hired as a developer by a company named XYZ.com to extend their Microsoft Dynamics CRM 2011 system.

You are creating a custom entity. You are creating an HTML web resource to use in the custom entity.

Which of the following is the correct type number for an HTML web resource?

- A. Type 1.
- B. Type 2.
- C. Type 3.
- D. Type 4.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 76**

You have been hired as a developer by a company named XYZ.com to extend their Microsoft Dynamics CRM 2011 system.

You are creating a custom entity. You are creating a data web resource to use in the custom entity.

Which of the following is the correct type number for a data web resource?

- A. Type 1.
- B. Type 2.
- C. Type 3.
- D. Type 4.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 77**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a custom solution for the Microsoft Dynamics CRM 2011 system. You have created a Microsoft Silverlight 4.0 web resource to access Microsoft Dynamics CRM 2011 data from the application. The web resource uses the Representational state transfer (REST) endpoint web service in Microsoft Dynamics CRM 2011.



Which two of the following statements about the REST endpoint are true? (Choose two).

- A. Messages that require the Execute method cannot be performed.
- B. Entity records cannot be deleted.
- C. Use of the REST endpoint is limited to JScript libraries or Silverlight web resources.
- D. You can use late binding with managed code with Silverlight.
- E. Associate and disassociate actions cannot be performed on entity records.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 78

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a custom solution for the Microsoft Dynamics CRM 2011 system. You are debugging some client-side JScript code.

You make a change to the JScript code and reload the web page. You discover that no new debugging information is logged. You confirm that script debugging is enabled and friendly errors are disabled in Internet Explorer.

What should you do to debug the code?

- A. You should modify the Trusted Sites security zone in Internet Explorer.
- B. You should modify the Load Page Content option in Internet Explorer.
- C. You should modify the Local Intranet security zone in Internet Explorer.
- D. You should modify the "Allow scripting of Microsoft Web browser control" setting in Internet Explorer.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### QUESTION 79

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are modifying an entity in the Microsoft Dynamics CRM 2011 system.

You configure an event handler to pass the execution context to a custom JScript library function.

Which of the following statements describes the `getEventSource()` method?

- A. The `getEventSource()` method returns the `Xrm.Page.context` object.
- B. The `getEventSource()` method returns a value that indicates the order in which this handler is executed.
- C. The `getEventSource()` method returns a reference to the object that the event occurred on.
- D. The `getEventSource()` method returns an object with methods to manage the Save event.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 80**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are modifying an entity in the Microsoft Dynamics CRM 2011 system.

You configure an event handler to pass the execution context to a custom JScript library function.

Which of the following statements describes the getContext() method?

- A. The getContext() method returns the Xrm.Page.context object.
- B. The getContext() method returns a value that indicates the order in which this handler is executed.
- C. The getContext() method returns a reference to the object that the event occurred on.
- D. The getContext() method returns an object with methods to manage the Save event.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 81**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are modifying an entity in the Microsoft Dynamics CRM 2011 system.

You configure an event handler to pass the execution context to a custom JScript library function.

Which of the following statements describes the getDepth() method?

- A. The getDepth() method returns the Xrm.Page.context object.
- B. The getDepth() method returns a value that indicates the order in which this handler is executed.
- C. The getDepth() method returns a reference to the object that the event occurred on.
- D. The getDepth() method returns an object with methods to manage the Save event.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 82**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are developing an application for the Microsoft Dynamics CRM 2011 system. Your code includes the RemoteExecutionContext class.

Which of the following statements describes the InputParameters public property of the RemoteExecutionContext class?

- A. The InputParameters property gets the parameters of the request message that triggered the event that caused the plug-in to execute.
- B. The InputParameters property gets a value indicating if the plug-in is executing within the database transaction.
- C. The InputParameters property gets the current depth of execution in the call stack.
- D. The InputParameters property gets the global unique identifier of the system user account under which the current pipeline is executing.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

### QUESTION 83

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are developing an application for the Microsoft Dynamics CRM 2011 system. Your code includes the RemoteExecutionContext class.

Which of the following statements describes the InitiatingUserId public property of the RemoteExecutionContext class?

- A. The InitiatingUserId property gets the parameters of the request message that triggered the event that caused the plug-in to execute.
- B. The InitiatingUserId property gets a value indicating if the plug-in is executing within the database transaction.
- C. The InitiatingUserId property gets the current depth of execution in the call stack.
- D. The InitiatingUserId property gets the global unique identifier of the system user account under which the current pipeline is executing.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

### QUESTION 84

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are developing an application for the Microsoft Dynamics CRM 2011 system. The application will use a custom plug-in. Your code includes the RemoteExecutionContext class.

Which public property of the RemoteExecutionContext class gets a value indicating if the plug-in is executing in a sandbox?

- A. Mode
- B. IsolationMode
- C. OperationID

D. Stage

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 85**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The DynamicEntity class in Microsoft Dynamics CRM 4.0 has been replaced by the Entity class in Microsoft Dynamics CRM 2011.

Which of the following public properties of the Entity class returns a collection of attributes for the entity?

- A. Attributes.
- B. EntityState
- C. ExtensionData
- D. FormattedValues

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 86**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

The DynamicEntity class in Microsoft Dynamics CRM 4.0 has been replaced by the Entity class in Microsoft Dynamics CRM 2011.

Which of the following statements describe the ITEM public property of the Entity method?

- A. Gets or sets the logical name of the entity.
- B. Gets or sets the ID of the record represented by this entity instance.
- C. Gets or sets the collection of formatted values for the entity attributes.
- D. Provides an indexer for the attribute values.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

**QUESTION 87**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are developing an application that will query data in the Microsoft Dynamics CRM 2011 system by using

FetchXML.

Which three of the following are aggregate functions supported by FetchXML? (Choose three).

- A. Sum
- B. Every
- C. Max
- D. Bool\_and
- E. Avg
- F. Bool\_or

**Correct Answer:** ACE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 88**

You work as a software developer at XYZ.com. The company runs Microsoft Dynamics CRM 2011 for its customer relationship management software.

You are creating a late-bound entity class to access business data in the Microsoft Dynamics CRM 2011 system.

Which two the following statements describe late-bound entity classes?

- A. The type references of the class are checked only when the object is created or an action is performed on the type.
- B. The type references of the class are checked when the class is compiled.
- C. Enables you to work with types such as custom entities and custom attributes that were not available when the application was compiled.
- D. Requires the developer to reference the libraries that contain the object at compile time.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

Explanation:

#### **QUESTION 89**

Your role at XYZ.com includes the management of their Microsoft Dynamics CRM 2011 systems. The company uses both the online and on-premise versions of Microsoft Dynamics CRM 2011.

You are using the Microsoft Visual Studio workflow designer to create a custom XAML workflow.

Where can you deploy the custom XAML workflow?

- A. To the on-premise Microsoft Dynamics CRM 2011 system only.
- B. To both the on-premise and online Microsoft Dynamics CRM 2011 systems.
- C. To a sandbox in the on-premise Microsoft Dynamics CRM 2011 system only.
- D. To a sandbox in both the on-premise and online Microsoft Dynamics CRM 2011 systems.

**Correct Answer:** A

**Section:** (none)

## Explanation

### Explanation/Reference:

Explanation:

### QUESTION 90

Your role at XYZ.com includes the management of their Microsoft Dynamics CRM 2011 systems. The company uses both the online and on-premise versions of Microsoft Dynamics CRM 2011.

You are using the Microsoft Visual Studio workflow designer to create a custom XAML workflow.

Which of the following statements are true?

- A. Custom XAML workflows need to be compiled before they can be used.
- B. Custom XAML workflows are not supported in Microsoft Dynamics CRM Online.
- C. Custom XAML workflows are enabled by default.
- D. Custom XAML workflows need to be enabled using the Deployment Web service or Windows PowerShell scripts.

**Correct Answer:** D

**Section:** (none)

**Explanation**

### Explanation/Reference:

Explanation:



<http://www.gratisexam.com/>